

EAB
EXCHANGE-A-BLADE

2023 PRODUCT CATALOGUE

EAB

Melamine
& Laminates
Mélamine/Laminés

**MAKE A
DIFFERENCE**

with Green Power Tool Accessories



A green exchange system designed to reduce the impact on the environment

PROP 65 ABOUT CALIFORNIA PROPOSITION 65

We care about our customers' safety. Many of the products listed on our web site require a California Prop 65 warning as most are used to work raw wood which creates wood dust. Some products contain chemicals such as nickel compounds, acrylic dust and progesterone. Both Wood dust and these other chemicals are substances known to the State of California to cause cancer. California's Proposition 65 entitles California consumers to special warnings for products that contain chemicals known to the state of California to cause cancer and birth defects or other reproductive harm if those products expose consumers to such chemicals above certain threshold levels. Because our web site lists multiple items per page, we are providing ample warning by providing the ability to obtain clear and reasonable Prop 65 warnings prior to completion of your purchase decision. We have further notified our vendors to be certain product packaging is clearly labeled with correct warnings if needed per Prop65 guidelines. For more information www.p65warnings.ca.gov or call 916-445-6900.

WARNING: CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

RAW WOOD

WARNING: Wood Dust created by Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer and birth defects or other reproductive harm. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. <https://www.p65warnings.ca.gov/fact-sheets/wood-dust>

POWER TOOLS AND ACCESSORIES

WARNING: The metal parts of these products contain Nickel compounds, a substance known to the State of California to cause cancer and birth defects or other reproductive harm. None of these products are to come in contact with food and drinking water. Please wash your hands with soap and water after touching these products. <https://www.p65warnings.ca.gov/search/nickel>

ELECTRICAL CORDS

WARNING: The wires of these products contain Nickel compounds, a substance known to the State of California to cause cancer and birth defects or other reproductive harm. None of these products are to come in contact with food and drinking water. Please wash your hands with soap and water after touching these products. <https://www.p65warnings.ca.gov/search/nickel>

HAND TOOLS, PNEUMATIC AIR FITTINGS AND HOSES CONTAINING BRASS (A NICKEL ALLOY)

WARNING: The brass parts of these products contain Nickel compounds, a substance known to the State of California to cause cancer and birth defects or other reproductive harm. None of these products are to come in contact with food and drinking water. Please wash your hands with soap and water after touching these products. <https://www.p65warnings.ca.gov/search/Brass>

ACRYLIC PEN BLANKS STYLOS ACRYLIQUES

WARNING: Acrylic pen blanks contain Acrylonitrile a chemical used in the production of Acrylic. Acrylonitrile is a substance known to the State of California to cause cancer and birth defects or other reproductive harm. Avoid inhaling Acrylic dust or use a dust mask or other safeguards for personal protection. This product is not to come in contact with food and drinking water. Please wash your hands with soap and water after touching these products. <https://www.p65warnings.ca.gov/search/acrylic>

FINISHING PRODUCTS AND BUFFING COMPOUNDS

WARNING: Finishing Products and Buffing Compounds contain progesterone, a substance known to the State of California to cause cancer and birth defects or other reproductive harm. Use a respirator or other safeguards for personal protection. This product is not to come in contact with food and drinking water. Please wash your hands with soap and water after touching these products. Consult with your physician before using this product if you have safety concerns. <https://www.p65warnings.ca.gov/search/progesterone>



WARNING: All EAB products can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to P65Warnings.ca.gov and exchangeblade.com/en_ca/resources/prop65/

TABLE OF CONTENTS

EAB

Prop 65 Warning ii

Why EAB 2

The Green Exchange System 3

Blade Quality & Choice 4

Blade Technology 5

Saw Blades 7

Hole Saws 41

Oscillating Tool Accessories 51

Reciprocating Blades 59

Drill Bits 67

Router Bits 81

STAY SHARP

Saw Blades 85

Diamond Blades 89

Hole Saws 95

Reciprocating & Jigsaw Blades 101

Abrasives 107

Oscillating Tool Accessories 115

Screwdriver Bits 119

Drill Bits 137

Nutsetters 141

Flooring Cutters 147

Essential Accessories 151

Why EAB?

As Good As New

When you purchase any EAB blade you're guaranteed the highest quality — regardless of whether it's a brand new blade, or one that has been meticulously remanufactured in our state-of-the-art facility. All remanufactured blades pass through a strict, multi-stage manufacturing and quality control process that guarantees it's as good as or better than new.

- ▶ We check every blade for damage, balance and flatness. Rejects are destroyed and recycled.
- ▶ Blades are cleaned and polished to remove wood pitch, glues and rust.
- ▶ The worn carbide tips are then removed and replaced on every remanufactured blade. Then all tips are completely ground (top, face and sides) to razor sharpness, using fine diamond wheels on computerized sharpening machines.
- ▶ Our lab performs quality control checks at each stage, with a final check before shipping.

EAB Tested

Every blade (and every EAB product) is extensively tested in our own lab. Blade hardness, carbide grade, and sharpening are checked using precision instruments. Then we life test the blades, simulating real-world and extreme conditions, to determine the blade's durability and extended performance. Finally, we conduct comparison testing against competitors' products — ensuring our blades meet and exceed the expectations of our customers.

Helping the Environment

By using the Exchange System, you help keep thousands of tons of scrap metal out of landfills. Our preference for bulk and minimal packaging also means you're not throwing away (and paying for) unnecessary packaging. And finally, our blades are made without chromium and left unpainted — better for our environment.



FAQ

How do I save money?

The Exchange Credit value of a used blade is subtracted from your next EAB purchase. When you use the Exchange System continually, you'll save (up to 50%) on purchases of comparable competitors' blades.

Am I just paying an inflated price to start with?

Absolutely not! Our blades are constantly price checked against competitors' products. Dollar-for-dollar you'll find the EAB Exchange System offers you outstanding value.

Why a remanufactured blade?

A quality blade, like a quality knife, can be sharpened many times. But what was once common practice — using a local sharpening shop — is now an inconvenience and often produces poor results and marginal savings. EAB guarantees that the blade you buy today will give you the same great performance as the one you returned.

Does EAB remanufacture every blade?

No. Each blade returned to us is inspected at every step of the remanufacturing process. If it fails to meet any of our standards it is scraped and recycled.

Can I return a damaged blade?

We don't charge for broken teeth or damaged blades — another advantage of the Exchange System. If you damage any other brand of blade, you're stuck with a ruined blade.

Why can I only exchange EAB blades?

To be able to guarantee the quality of a remanufactured blade, we need to know its origins. By only accepting our own blades for exchange, we can be assured of the quality of our exchange product.

Are all products on your rack recycled?

No. At any one time, more than 80% of the blades you see are brand new.

The Green Exchange System

Buy

Our complete line of more than 125 blades is made to exact specifications. Rigorous testing guarantees the highest quality and performance. If you don't see what you need, ask your dealer or visit eabtool.com.

Use

When your blade is dull or damaged, simply return it to your dealer. Apply the Exchange Credit towards your next EAB purchase.

Exchange & Save


With the Exchange System, you'll realize significant savings over buying comparable competitors' products. Not to mention the convenience of one-stop shopping for all your power tool accessory needs.

At the Dealer


All EAB exchangeable carbide blades and power tool accessories have a similar look. The Exchange Credit value is clearly displayed within the white diamond of the exchange symbol — found at the bottom of every label or package. This is the dollar amount applicable towards your next EAB purchase when you bring the blade back to your dealer.*

You'll also notice on the back of the blade an engraved 12-digit number preceded by the letters EAB. This indicates to you and your dealer that this is an Exchangeable EAB blade. This number is required by your dealer to process your credit.

FRONT



BACK



- ▶ Please note that we can only apply credits towards the purchase of new EAB exchangeable power tool accessories of equal or greater value.

Our Guarantee

Our stringent quality controls — EAB Tested — ensure that every EAB blade sold meets the highest standards of quality. If for any reason whatsoever you're not completely satisfied with a blade, our policy is simple — return it to your dealer for a free replacement.

The Right Quality

There's an EAB carbide blade to suit every application, user and budget. Start by choosing the right quality.



General Quality

Designed for light and medium-duty work including do-it-yourself (DIY) projects. These blades are made with C2 grade tungsten carbide teeth and are great value.



Professional Quality

Blades for the heavy-duty needs of the professional contractor or demanding home user, featuring high grade tungsten carbide teeth and precision grinding — top, sides and face. Hardened steel plates and thinner kerfs (cut width) produce finer results and less wear on equipment.



Industrial Quality

Our best quality blades designed for the extreme-duty needs of the high volume contractor or commercial woodworker. Precision manufactured from the finest hardened steel with fully ground C4 and C6 tungsten carbide teeth. These blades guarantee ultimate results, extra long blade life and minimum wear on equipment.

GREEN BLADES

Our Green Blades are the value choice for many jobs, and an ideal introduction to the Exchange System. Available for Decking & Framing and Finishing work, they're also eco-friendly — made without the use of chromium and with a small percentage of recycled carbide.

DECKING & FRAMING

Our GEN Decking and PRO Framing blades are engineered for ripping and crosscutting dimensional lumber and composite materials. These blades feature tough ATB carbide tooth configurations that sever wood fibers cleanly and quickly.

RAZORBACK®

One of the toughest and safest blades available, providing long lasting, accurate performance under heavy-duty, high heat conditions. The imbedded sock tooth design reduces the possibility of tooth loss, and the anti-kickback shoulder eliminates grabbing. A super fine cutting edge offers fast, smooth cutting without waste or wear on equipment.

ALL PURPOSE (PLANER COMBINATION)

As the name suggests, a blade designed for both fast ripping and semi-smooth crosscutting of a wide variety of wood materials — made possible by the ATBR tooth configuration. A must-have blade for the general contractor and DIYer.

MITER-WOOD

Our GEN Chop Saw blade is a value priced blade ideal for quick miter work on the job site or around the house. For finer finishing work, choose our PRO or IND blades. They're specially designed for extra smooth cuts when using miter and radial arm saws, and use high grade C3 and C4 carbide.

FINISHING — SHELVING & CABINETRY

Our GEN Shelving and PRO Cabinetry blades are designed for cutting softwoods and hardwoods used in general carpentry, where a smooth finish is required. PRO Cabinetry blades are recommended for fine, splinter-free cutting of molding, panelling, veneers and expensive hardwoods.

ULTRA THIN

The extra narrow kerf (cut width) provides a faster, smoother cut and minimum waste. They're ideal for cutting pressboard, veneers, panelling and fine hardwoods, as well as for use on cordless or low-powered saws.

MELAMINE/LAMINATES

An extra fine finishing blade featuring TCG tooth configuration and C3 or C4 carbide tips. Their precision design provides splinter-free cutting of melamine, laminates and hard plastics.

FIBER CEMENT

Designed to easily cut through Hardie-Plank®, Cemplank® and other fiber cement products, with minimal dust. Our IND blades feature polycrystalline diamond (PCD) carbide teeth that last significantly longer.

MITER-ALUMINUM

Specifically designed for miter saws, these blades feature C6 carbide teeth, TCG tooth configuration, and -5° hook angles for fast, smooth and safe cutting of non-ferrous metals such as aluminum, copper and brass.

METAL

These heavy and extreme-duty blades are designed to safely cut mild steel roofing, metal siding and steel studs (≤ .062 gauge). They feature hardened plates, thin kerfs, strong chip limiting shoulders, and 0° hook angles — to reduce jamming, overfeeding and overheating.

RAZOR TOOTH™

Our Razor Tooth blades are the ultimate finishing blades, available in PRO (C3) and IND (C4) carbide grades. Choose these blades for ultra smooth, mirror finishes when cutting fine woods, veneers and laminate flooring.

LASER LINE™

Laser Line blades are precision manufactured with C4 carbide tips, laser cut plates and anti-noise/vibration vents. They're available in 10" size for All Purpose, Melamine, Miter-Wood, and Miter-Aluminum cutting.

Blade Knowledge


All EAB blades are designed to produce optimal results as indicated. A bit of blade knowledge, however, can help you choose between similar blades, and understand the benefits of keeping a selection of blades in your toolbox.

Carbide Grade

Our tungsten carbide is rigorously tested and graded: C2 to C4 for wood-based construction materials, and C6 for metals. Generally speaking, the higher the grade the harder the tooth, which results in a sharper edge and longer life.

Number of Teeth

A good rule of thumb, regardless of the blade's diameter or thickness of the material, is to have 2 to 4 teeth in the material you're cutting. This will give you the smoothest cut, optimal chip removal, and the least amount of friction and strain on your equipment — it's also safer.



Hook Angle

The hook angle is the amount of forward or backward lean of each tooth. Generally speaking, a higher hook angle will give you an aggressive cut and a fast feed rate. Our RazorBack blades have a very aggressive 27° hook for ultra fast, controlled cutting. A low or negative hook (less than 5°) produces a smoother, slower cut, and is ideal for hard and brittle materials such as melamine and metal. Negative hook angles also inhibit the blade's tendency to climb the material being cut, which is why they're a must for use on miter saws.



Tooth Configuration

The design of a blade's teeth determines how well it will cut different materials.



Alternate Top Bevel (ATB)

ATB is the most common tooth configuration for cutting wood and wood-based materials. Teeth alternate between right and left-hand bevels, to alternately slice through the material's fibers for fast, smooth cutting.



Alternate Top Bevel with Raker (ATBR)

Found on our All Purpose blades designed for crosscutting and ripping. Teeth are arranged in groups of five — four ATB teeth and one flat top raker tooth — with a large gullet between the groups to remove larger chips when ripping. This configuration is also known as planer combination.



Triple Chip Grind (TCG)

For cutting hard, solid materials such as MDF, plastics, laminates and non-ferrous metals. Teeth alternate between a flat raking tooth and a higher chamfer tooth, which produce very clean cuts, though at a much slower feed rate.



High Alternate Top Bevel (Hi-ATB)

For extra-fine crosscutting and for materials prone to chipping, such as melamine. The high bevel accentuates the razor sharp slicing action at the edge of the blade. Found on our PRO and IND Razor Tooth ultimate finishing blades.

Be Safe!

Always operate power tools according to the manufacturer's instructions, and never exceed a blade's max rpm.
Use appropriate protective gear and clothing.



Make the perfect cut

EVERY TIME



SAW BLADES

NO MATTER THE MATERIALS YOU'RE WORKING WITH, WE HAVE THE RIGHT SAW BLADE AT THE RIGHT PRICE TO MAKE YOUR JOB PERFECT EVERY TIME.



FRAMING

Designed for cross cutting and ripping on heavy to medium duty projects



FINISHING

Designed for finished cuts across multiple materials



METAL CUTTING

Designed to cut ferrous and non-ferrous metals



FIBER CEMENT

Designed specifically for cutting fiber cement products



ALL PURPOSE

All purpose blades perform both cross-cutting and ripping

WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Finishing Plywood

- ▶ Special purpose exchangeable saw blade for fast cutting across the grain where a smooth finish is required in both hard and soft wood
- ▶ Not designed for ripping
- ▶ Specifically for 1/2" to 3/4" plywood

GEN
GENERAL
Light Contractor
& DIY

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1002122	7 1/4"	100	5/8" DKO	059511002126	059511900149



Finishing Panelling

- ▶ Fine, extra clean cutting exchangeable saw blade for use on materials up to 1/2" thick
- ▶ Splintering reduced due to large number of teeth
- ▶ Excellent exchangeable saw blade for cutting thinner plywood, fiberboard, veneer, Cellotex and thin plastics
- ▶ Good choice for vinyl siding and trims

GEN
GENERAL
Light Contractor
& DIY

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1003122	7 1/4"	150	5/8" DKO	059511003123	059511900170
1003232	10"	200	5/8"	059511003239	059511900200



Steel Roofing (Ferrous Metal Cutting)

- For use on thin ferrous and non-ferrous metals, such as steel and aluminum roofing and siding up to 18 gauge



GENERAL
Light Contractor
& DIY

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1005112	7 1/4"	72	5/8" DKO	059511005110	059511901498



All Purpose

- A fast cutting, all purpose exchangeable saw blade for crosscuts, rips, and miters
- Provides a smooth cut in a variety of woods and composite materials



GENERAL
Light Contractor
& DIY

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1001092	6 1/2"	60	5/8" DKO	059511001099	059511900095
1001122	7 1/4"	75	5/8" DKO	059511001129	059511900101
1001152	8"	60	5/8" DKO	059511001150	059511900118



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

GENERAL PURPOSE CARBIDE: these blades are a top choice for light to medium duty ripping and cross-cutting of wood and composite materials and are a top choice for light and medium duty work. Our Decking and Shelving blades are tipped with superior quality C2 tungsten carbide, have hard plates (HRC-40), expansion slots, and are sharpened on the top, face and sides. Blades 10" and up also have tension rings for improved flatness.

Framing Decking

- ▶ General grade exchangeable saw blades are a good choice for light contractor and DIY work
- ▶ Ideal for framing, decking and general purpose ripping and cross cutting of wood and composite materials
- ▶ C2 micrograin carbide tips, HRC 40 hard body plate, expansion slots and fully sharpened on top, face and sides

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1010052	5 1/2"	14	5/8" DKO	059511010053	059511900279
1010152	6 1/2"	16	5/8" DKO	059511010152	059511900286
1010282	7 1/4"	20	5/8" DKO	059511010282	059511900293
1010542	8"	22	5/8" DKO	059511010541	059511900309
1010612	8 1/4"	24	5/8" DKO	059511010619	059511900316
1010692	9"	24	5/8"	059511010695	059511900323
1010782	10"	28	5/8"	059511010787	059511900330
1011922	12"	48	1"	059511010794	059511901245



Framing Razor Thin

- ▶ Fast effortless cuts with 1.56 mm kerf
- ▶ Ideal for cordless saws providing longer battery run time
- ▶ Anti-kickback for safe application
- ▶ C2 carbide teeth

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1011952	7 1/4"	24	5/8" DKO	059511010954	059511903966
1011962	6 1/2"	24	5/8" DKO	059511010961	059511903973
1011822	4 1/2"	24	5/8"	059511010978	059511903980
1011852	5 3/8"	24	5/8"	059511010992	059511904000



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Framing Green Blade



GENERAL
Light Contractor
& DIY

- ▶ General grade exchangeable saw blades are a good choice for light contractor and DIY framing and construction work
- ▶ HRC-45 hardened steel plates, expansion slots for durability and complete sharpening of the tips
- ▶ Environmentally sustainable, C2 micrograin carbide teeth manufactured using some recycled tungsten
- ▶ No chromium is used in the manufacturing of these value priced exchangeable saw blades

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1110012	5 3/8"	24	5/8" DKO	059511110845	059511901665
1110032	6 1/2"	24	5/8" DKO	059511110869	059511901689
1110052	7 1/4"	24	5/8" DKO	059511110883	059511901702
1110072	7 1/4"	40	5/8" DKO	059511110906	059511901726
1110092	8 1/4"	24	5/8" DKO	059511110920	059511901740
1110102	8 1/4"	40	5/8" DKO	059511110937	059511901757
1110112	10"	28	5/8"	059511110944	059511901764
1110132	10"	40	5/8"	059511110968	059511901788
1110152	10"	60	5/8"	059511110982	059511901801
1110192	12"	60	1"	059511111026	059511901900
1110202	12"	28	1"	059511111033	059511901917
1110212	12"	48	1"	059511111040	059511901924
1110222	6 1/2"	36	5/8"	059511111057	059511901931



Framing Green Blade Composite Decking



GENERAL
Light Contractor
& DIY

- ▶ Designed to cut composite and PVC decking materials such as Trex®, Azek® & TimberTech®.
- ▶ Triple chip grind (TCG) for fast, melt free cutting Ultra thin blade body provides more cuts per charge
- ▶ Anti-kickback design on certain sizes.
- ▶ Chromium-free manufacturing
- ▶ Made using recycled components

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1110402	6 1/2"	24	6 1/2"	059511408003	059511902648
1110412	7 1/4"	40	5/8" DKO	059511408010	059511902655
1110422	10"	60	5/8"	059511408027	059511902662
1110432	12"	80	1"	059511408034	059511902679



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Blade Combo Packs

- ▶ 2 carbide Green saw blades for the general cutting needs of the DIYer
- ▶ HRC-45 hardened steel plates for durability
- ▶ Micrograin carbide teeth fully sharpened on top, face, and sides, providing cleaner, faster cutting
- ▶ No chromium is used in the manufacturing of these value priced exchangeable saw blades



GENERAL
Light Contractor
& DIY

2500006

Includes:
1 - 10" x 28 Decking Blade (#1010782)
1 - 10" x 60 Shelving Blade (#1011842)

2500007

Includes:
1 - 12" x 48 Decking Blade (#1011922)
1 - 12" x 80 Shelving Blade (#1011972)

Item #	Diameter	Arbor	UPC
2500006	10"	5/8"	059511500042
2500007	12"	1"	059511500059



Green Blade Combo Packs

- ▶ 2 carbide Green saw blades for the general cutting needs of the DIYer

2500011

Includes:

- 1 - 10" x 28T Decking Blade (#1110112)
- 1 - 10" x 60T Finishing Blade (#1110152)

2500012

Includes:

- 1 - 12" x 28T Decking Blade (#1110202)
- 1 - 12" x 48T Finishing Blade (#1110212)

2500013

Includes:

- 1 - 6 1/2" x 24T Decking & Framing Blade (#1110032)
- 1 - 6 1/2" x 36T Finishing Blade (#1110222)



GENERAL
Light Contractor
& DIY

Item #	Diameter	Arbor	UPC
2500011	10"	5/8"	059511500110
2500012	12"	1"	059511500127
2500013	6 1/2"	5/8"	059511500134

Finishing Shelving

- ▶ Economically priced, general purpose finishing exchangeable saw blade
- ▶ Designed to cut panelling, plywood, veneer, and some plastic materials
- ▶ C2 micrograin carbide tips, fully sharpened on top, face and sides
- ▶ Tension rings for improved flatness



GENERAL
Light Contractor
& DIY

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1011352	7 1/4"	40	5/8" DKO	059511011357	059511900347
1011632	8 1/4"	40	5/8" DKO	059511011371	059511901238
1011812	10"	40	5/8"	059511011814	059511900354
1011842	10"	60	5/8"	059511011845	059511900361
1011972	12"	80	1"	059511011852	059511901252



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Finishing Miter

- ▶ A value priced chop saw blade for light contractor and DIY use
- ▶ Ideal for cutting wood trim and flooring materials with a miter saw
- ▶ C2 micrograin carbide tips, HRC 40 hard body plate, expansion slots and fully sharpened on top, face and sides
- ▶ Tension rings for improved flatness
- ▶ For heavy duty use, see our Professional and Industrial Miter exchangeable saw blades



Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1011932	10"	60	5/8"	059511010909	059511901320



Finishing Green Blade Melamine

- ▶ Anti-kickback design on certain sizes
- ▶ For extra fine cutting of melamine, laminates, and plastics
- ▶ Triple chip grind (TCG) for fast, melt free cutting
- ▶ Chromium-free manufacturing
- ▶ Made using recycled components



Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1110442	6 1/2"	40	5/8" DKO	059511408041	059511902686
1110452	7 1/4"	40	5/8" DKO	059511408058	059511902693
1110462	10"	60	5/8"	059511408065	059511902709
1110472	12"	80	1"	059511408072	059511902716



Finishing Razor Thin



GENERAL
Light Contractor
& DIY

- ▶ Fast effortless cuts with 1.56 mm kerf
- ▶ Ideal for cordless saws providing longer battery run time
- ▶ C2 carbide teeth

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1011832	4 1/2"	40	5/8"	059511010985	059511903997
1011862	5 3/8"	40	5/8"	059511011005	059511904017
1011872	5 1/2"	40	5/8"	059511011012	059511904024
1011882	6 1/2"	40	5/8"	059511011029	059511904031
1011892	7 1/4"	40	5/8" DKO	059511011036	059511904048



Finishing Green Blade RazorTooth



GENERAL
Light Contractor
& DIY

- ▶ The ultimate, high performance, low price, fine finishing blade
- ▶ HRC-45 hardened steel plates
- ▶ High ATB, C2 tooth design provides smooth cutting of melamine, laminates, hardwoods, and laminate flooring
- ▶ High performance, low price



Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1110252	7 1/4"	40	5/8"	059511111088	059511901962
1110262	10"	80	5/8"	059511111095	059511901979
1110272	12"	100	1"	059511111101	059511901986



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

PROFESSIONAL CARBIDE: these blades are made from top quality hardened steel (HRC-40), and are brazed with superior quality tungsten micrograin carbide teeth that are ground on the face, top and sides with a fine 600–1,000 grit diamond wheel to achieve maximum sharpness. They have expansion slots, and blades 10" and up have tension rings for improved flatness. These blades are designed for heavy duty use and are the top choice for Professionals.

Framing Composite Decking

- ▶ Designed to cut composite and PVC decking materials such as Trex®, Azek® & TimberTech®.
- ▶ Triple chip grind (TCG) for fast, melt free cutting
- ▶ Ultra thin blade body provides more cuts per charge

PRO

PROFESSIONAL
Heavy-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1013152	7 1/4"	40	5/8"	059511012996	059511902563
1013912	10"	60	5/8"	059511013917	059511902570



Framing

- ▶ These premium framing exchangeable saw blades are designed for cross cutting, ripping, and heavy duty building projects
- ▶ An excellent choice for the professional framer, ideal for worm drive and heavy duty saws
- ▶ C2 micrograin carbide tips, HRC 40 hard body plate, expansion slots and fully sharpened on top, face, and sides
- ▶ Alternating top bevel (ATB) tooth configuration for fast, clean cuts through all types of framing materials

PRO

PROFESSIONAL
Heavy-Duty



Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1012232	7 1/4"	18	5/8" DKO	059511012231	059511900378
1012612	8 1/4"	24	5/8" DKO	059511012613	059511900392
1012782	10"	28	5/8"	059511012781	059511900415
1012952	12"	40	1"	059511012958	059511900422



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

PRO

PROFESSIONAL
Heavy-Duty

Razor Back

- ▶ One of the fastest cutting, safest exchangeable saw blades available. It provides long lasting, accurate performance under heavy duty, high heat conditions
- ▶ C3 micrograin carbide tips, precision sharpened on all sides, stay sharper longer
- ▶ Inset, socktooth design eliminates lost teeth
- ▶ An aggressive 27° hook angle for extremely fast cutting

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
FRAMING					
1016042	5 3/8"	24	5/8" - 10mm / 5/8" - 1/2"	059511016048	059511900965
1016052	5 3/8"	24	5/8" - 10mm / 5/8" - 1/2"	059511016253	059511901191
1016092	6 1/2"	24	5/8" DKO	059511016079	059511901122
1016342	7 1/4"	24	5/8" DKO	059511016222	059511901160
1016572	8 1/4"	18	5/8" DKO	059511016093	059511901030
FINISHING					
1016122	6"	36	5/8"	059511016376	059511902525
1016132	6 1/2"	36	5/8" DKO	059511016697	059511901863
1016442	7 1/4"	40	5/8" DKO	059511016246	059511901184
1016762	10"	32	5/8"	059511016109	059511901047
1016872	12"	60	1"	059511016215	059511901153
FINISHING THIN KERF					
1016222	6"	36	5/8" DKO	059511016888	059511902723
1016232	6 1/2"	36	5/8" DKO	059511016901	059511902747
1016542	7 1/4"	40	5/8" DKO	059511016925	059511902761
FRAMING THIN KERF					
1016242	7 1/4"	24	5/8" DKO	059511016918	059511902754
1016272	8 1/4"	18	5/8" DKO	059511016932	059511902778
1016292	6 1/2"	24	5/8" DKO	059511016895	059511902730
ALL PURPOSE					
1016832	10"	50	5/8"	059511016116	059511901054



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Framing Flip Blade

- ▶ The best bi-directional saw blade on the market; tested!!
- ▶ Tested to perform 1,000+ cuts per side! Performed 60% more cuts than the competitor's blade!
- ▶ Bi-directional C3 carbide teeth are designed and precision sharpened to make smooth cuts in both directions tested! Simply switch blade around and you're ready to go with a brand new set of teeth.
- ▶ Thin kerf design and anti-vibration vents
- ▶ Designed for ripping and crosscutting dimensional lumber


PRO
PROFESSIONAL
 Heavy-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1019692	7 1/4"	24	5/8"	059511016871	059511910490



Finishing Cabinetry

- ▶ Designed to provide splinter free, precision cutting for the professional user
- ▶ Excellent for use on hard and soft woods, particle board, plywood, veneers and expensive hardwoods
- ▶ Alternating Top Bevel (ATB) tooth configuration, for clean, precision cuts through all types of finishing materials
- ▶ Precision micrograin C4 carbide tips, fully sharpened on top, face, and sides
- ▶ Tension rings for improved flatness


PRO
PROFESSIONAL
 Heavy-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1013352	7 1/4"	40	5/8" DKO	059511013351	059511900453
1013362	7 1/4"	60	5/8" DKO	059511013368	059511902518
1013562	8"	40	5/8" DKO	059511013566	059511900460
1013632	8 1/4"	40	5/8" DKO	059511013634	059511900477
1013712	9"	40	5/8"	059511013719	059511900491
1013812	10"	40	5/8"	059511013818	059511900507
1013872	10"	80	5/8"	059511013870	059511900514



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Finishing Melamine

- ▶ One of the finest, precision finishing exchangeable saw blades on the market for the professional user
- ▶ These exchangeable saw blades provide extremely smooth cutting for both single and double sided melamine, laminates, and plastics
- ▶ Special hard bodied (HRC 40) plates, combined with superior micrograin carbide tips, expansion slots and precision flatness make these exchangeable saw blade a top choice of professionals
- ▶ Precision micrograin C3 carbide tips, are provided with a triple chip grind and fully sharpened on top, face, and sides
- ▶ Ideal for use in both portable and stationary equipment



PRO

PROFESSIONAL
Heavy-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1014352	7 1/4"	40	5/8" DKO	059511014358	059511900545
1014582	8"	50	5/8" DKO	059511014587	059511900552
1014602	10"	80	5/8"	059511016529	059511901580
1014612	10"	100	5/8"	059511016536	059511901597
1014732	9"	60	5/8"	059511014730	059511900576
1014852	10"	60	5/8"	059511014891	059511900910



Finishing RazorTooth

- ▶ The finest finishing exchangeable saw blade available for the professional user. It's ultra smooth cut reduces the need for sanding
- ▶ This is the ideal exchangeable saw blade for hardwood and laminate flooring
- ▶ High ATB tooth design provides ultra smooth cutting of melamine, laminates, hardwoods, and laminate flooring
- ▶ C3 micrograin carbide tips, precision sharpened on all sides



PRO

PROFESSIONAL
Heavy-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1019462	7 1/4"	40	5/8" DKO	059511016307	059511901283
1019472	8 1/4"	50	5/8" DKO	059511016291	059511901290
1019512	10"	80	5/8"	059511016352	059511901849
1019522	12"	100	1"	059511016369	059511901856



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Finishing Miter

- ▶ Designed for all miter, sliding compound miter and radial arm saws
- ▶ This alternating top bevel (ATB) exchangeable saw blade has a 5° negative hook angle to eliminate blowout and kickback
- ▶ Provides fine, splinter-free cutting of all wood products and trims
- ▶ C3 micrograin carbide tips, precision sharpened on all sides


PRO
PROFESSIONAL
 Heavy-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1018502	8 1/4"	40	5/8" DKO	059511016444	059511901504
1018512	8 1/2"	40	5/8" DKO	059511016451	059511901511
1018522	10"	60	5/8"	059511016468	059511901528
1018532	12"	80	1"	059511016475	059511901535



Finishing Specialty — Multi-Purpose

- ▶ Suitable for cutting Plastics pipe, fiberglass, light aluminum extrusions, mouldings, plywood and particle board
- ▶ For use with 4 1/2" and 5" portable saws
- ▶ Not recommended for use with angle grinders
- ▶ Comes with 5/8" - 7/8" bushing
- ▶ C2 micrograin carbide tips, fully sharpened on top, face, and sides

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1017232	4 1/2"	40	7/8" - 5/8"	059511017182	059511902532


PRO
PROFESSIONAL
 Heavy-Duty

Finishing Ultra Thin

- ▶ Ultra thin carbide tipped exchangeable saw blades are designed for finishing work on expensive wood, plywood, and composite materials where waste must be kept to a minimum
- ▶ The thin kerf provides a faster, smoother cut and will substantially reduce the workload of your saw
- ▶ Specifically designed for cordless tools. The ultra thin design and precision sharpening greatly extend battery life
- ▶ C3 micrograin carbide tips, precision sharpened on all sides



PRO

PROFESSIONAL
Heavy-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1016002	3 3/8"	20	15mm	059511016024	059511900941
1016022	4 3/8"	20	20mm	059511016031	059511900958
1016032	5 1/2"	36	5/8" - 1/2"	059511016420	059511901443
1016062	6"	20	5/8" - 1/2"	059511016055	059511900972
1016072	6 1/2"	36	5/8" DKO	059511016413	059511901207
1016402	7 1/4"	40	5/8" DKO	059511016406	059511900712
1016552	8"	40	5/8" DKO	059511016550	059511900729
1016632	8 1/4"	40	5/8" DKO	059511016635	059511900736
1016702	9"	40	5/8"	059511016703	059511900743
1016772	10"	40	5/8"	059511016864	059511900811
1016852	10"	60	5/8"	059511016857	059511900767
1016882	12"	72	1"	059511016062	059511900989



Metal Cutting

- ▶ Hard bodied, exchangeable, thin kerf blade designed to cut steel roofing, metal siding, and steel studs up to .062 gauge
- ▶ Anti-kickback shoulder design and 0° hook angle reduce overfeeding, jamming, and tooth breakage
- ▶ C6 micrograin teeth, fully sharpened for cleaner cuts



PRO

PROFESSIONAL
Heavy-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1017302	7 1/4"	32	5/8" DKO	059511005127	059511901009
1017312	8"	50	5/8" - 10mm	059511005134	059511901399
1017322	6 1/2"	60	5/8" DKO	059511005141	059511901405



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Metal Cutting Miter Aluminum

- ▶ Designed for all miter, sliding compound miter and radial arm saws
- ▶ This Triple Chip (TCG) saw blade has a 5° negative hook angle which eliminates blowout and kickback associated with sliding compound miter saws and greatly reduces the tendency to overfeed on radial arm saws
- ▶ For cutting plastics and non-ferrous metals such as aluminum, brass, copper, etc. A mechanical hold-down and lubricant should be used when cutting aluminum
- ▶ C3 micrograin carbide tips, precision sharpened on all sides



PRO

PROFESSIONAL
Heavy-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1019652	7 1/4"	50	5/8"	059511016482	059511901542
1019662	8 1/4"	50	5/8" DKO	059511016499	059511901559
1019672	10"	80	5/8"	059511016505	059511901566
1019682	12"	80	5/8"	059511016512	059511901573



Fiber Cement

- ▶ High quality, value priced exchangeable saw blades
- ▶ Specifically designed for cutting fiber cement cladding products with minimal dust
- ▶ C3 micrograin carbide teeth, tested for over 900 cuts in fiber cement planks
- ▶ Designed for single layer cutting



HardiePlank
Cemplanck

PRO

PROFESSIONAL
Heavy-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1017252	7 1/4"	6	5/8" DKO	059511017144	059511901412
1017262	10"	8	5/8"	059511017151	059511901429
1017272	12"	8	1"	059511017168	059511901481



All Purpose

- ▶ Professional quality, all purpose exchangeable saw blade can be used for both ripping and crosscutting of all types of hard and soft wood. One of the best all round blades
- ▶ Top quality hardened and tensioned steel plate provide consistent, precision cutting
- ▶ Special tooth configuration provides fast smooth cuts in almost any type of wood product and a special deep gullet provides fast chip removal
- ▶ Precision micrograin C4 carbide tips, fully sharpened on top, face, and sides



PRO

PROFESSIONAL
Heavy-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1015322	7 1/4"	35	5/8" DKO	059511015324	059511900620
1015562	8"	40	5/8" DKO	059511015560	059511900637
1015722	9"	50	5/8"	059511015720	059511900644
1015772	10"	50	5/8"	059511015737	059511900934



INDUSTRIAL CARBIDE: These blades are made from top quality hardened SKS steel (HRC-40), and are brazed with superior quality tungsten micrograin carbide teeth (C3-C6) that are ground on the face, top and sides with a fine 800–1,000 grit diamond wheel to achieve maximum sharpness. These blades have laser-cut bodies, expansion slots and blades 10" and up have tension rings for improved flatness.

Framing

- ▶ These premium framing exchangeable saw blades are designed for cross cutting and ripping heavy timber products
- ▶ Large gullets and alternating top bevel (ATB) tooth configuration make short work of heavy duty cutting
- ▶ Precision micrograin C2 carbide tips, fully sharpened on top, face, and sides
- ▶ Alternating top bevel (ATB) tooth configuration for fast, clean cuts through all types of framing materials



INDUSTRIAL
Extreme-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1012962	14"	40	1"	059511012965	059511900439
1012982	16"	40	1"	059511012989	059511900446



Finishing Cabinetry

- ▶ Designed to provide splinter free, precision cutting
- ▶ Excellent for use on hard and soft woods, particle board and plywood and plastic laminates
- ▶ Alternating Top Bevel (ATB) tooth configuration, for clean, precision cuts through all types of finishing materials
- ▶ Precision micrograin C4 carbide tips, fully sharpened on top, face, and sides
- ▶ Tension rings for improved flatness



INDUSTRIAL
Extreme-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1013922	12"	100	1"	059511013894	059511901078
1013972	14"	80	1"	059511013979	059511900538



Finishing Miter



INDUSTRIAL
Extreme-Duty

- ▶ Designed for all miter, sliding compound miter and radial arm saws
- ▶ This alternating top bevel (ATB) exchangeable saw blade has a 5° negative hook angle to eliminate blowout and kickback
- ▶ Provides fine, splinter-free cutting of all wood products and trims
- ▶ C4 micrograin carbide tips, precision sharpened on all sides



Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1018102	8 1/4"	40	5/8" DKO	059511016574	059511900835
1018212	8 1/2"	40	5/8" DKO	059511016574	059511900835
1018322	10"	60	5/8"	059511016581	059511900842
1018432	12"	80	1"	059511016628	059511900880



Finishing Melamine



INDUSTRIAL
Extreme-Duty

- ▶ One of the finest, precision finishing exchangeable saw blades on the market
- ▶ These exchangeable saw blades provide extremely smooth cutting for both single and double sided melamine, laminates, and plastics
- ▶ Special hard bodied (HRC 40) plates, combined with superior micrograin carbide tips, expansion slots and precision flatness make these exchangeable saw blade a top choice of Professionals
- ▶ Precision micrograin C4 carbide tips, are provided with a triple chip grind and fully sharpened on top, face, and sides
- ▶ Ideal for use in both portable and stationary equipment



Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1014832	10"	60	5/8"	059511014839	059511900583
1014872	10"	80	5/8"	059511014907	059511901061
1014882	10"	100	5/8"	059511014884	059511900590
1014922	12"	100	1"	059511014921	059511900606
1014992	16"	100	1"	059511014990	059511900613



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Finishing LaserLine

- ▶ Industrial quality at professional prices
- ▶ Provides fine, splinter-free cutting of all wood products
- ▶ Hard body, laser cut plate with oversized, German C4 micrograin carbide tips
- ▶ Anti vibration, noise reducing vents



INDUSTRIAL
Extreme-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1019602	10"	64	5/8"	059511012002	059511901351
1019612	10"	84	5/8"	059511012019	059511901368
1019622	10"	72	5/8"	059511012026	059511901375
1019632	10"	50	5/8"	059511012033	059511901382



Finishing RazorTooth

- ▶ The finest finishing exchangeable saw blade available with ultra smooth cutting; reduces the need for sanding
- ▶ This is the ideal exchangeable saw blade for hardwood and laminate flooring
- ▶ High ATB tooth design provides ultra smooth cutting of melamine, laminates, hardwoods, and laminate flooring
- ▶ Copper plugs reduce noise level
- ▶ C4 micrograin carbide tips, precision sharpened on all sides



INDUSTRIAL
Extreme-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1019492	10"	80	5/8"	059511016284	059511901221
1019502	12"	100	1"	059511016314	059511901306





Finishing Dado

- ▶ A specialized exchangeable saw blade set for cutting grooves (dados) in all types of wood. The carbide tipped blades are precision ground and balanced
- ▶ Fully adjustable to cut grooves from 1/4" to 13/16"
- ▶ 15 piece spacer set allows perfect width adjustment

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1017212	8"	20	5/8"	059511017137	059511901108

Dado blade configuration:

- 4 - 8" x 1/8" x 2 FTG inside chippers
- 1 - 8" x 1/16" x 2 FTG inside chippers
- 1 - 8" x 1/32" x 2 FTG inside chippers
- 2 - 8" x 24 teeth ATB blades

Spacers (15 pc):

- 5 - .004" 2 - .008"
- 2 - .012" 2 - .020"
- 4 - .040"



Finishing Specialty

- ▶ Designed for angle grinders
- ▶ Tungsten carbide grit is laser melted onto the disc body to provide a superior bond
- ▶ Thin body design
- ▶ Includes expansion slots
- ▶ Ideal for cutting wood, plastics, fiberglass, plywood, composite materials, and drywall

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1017282	4 1/2"	Grit	7/8"	059511017199	059511901870
1017292	5"	Grit	7/8"	059511017205	059511901887



Metal Cutting Miter Aluminum



INDUSTRIAL
Extreme-Duty

- ▶ Designed for all miter, sliding compound miter and radial arm saws
- ▶ This Triple Chip (TCG) saw blade has a 5z° negative hook angle which eliminates blowout and kickback associated with sliding compound miter saws and greatly reduces the tendency to overfeed on radial arm saws
- ▶ For cutting plastics and non-ferrous metals such as aluminum, brass, copper, etc. A mechanical hold-down and lubricant should be used when cutting aluminum
- ▶ C6 micrograin carbide tips, precision sharpened on all sides
- ▶ Triple chip grind (TCG)



Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1019092	7 1/4"	50	5/8" DKO	059511016659	059511900927
1019102	8 1/4"	50	5/8" DKO	059511016598	059511900859
1019322	10"	80	5/8"	059511016611	059511900873
1019332	10"	100	5/8"	059511016666	059511901627
1019432	12"	80	1"	059511016642	059511900897
1019442	12"	100	1"	059511016673	059511901634



Metal Cutting



INDUSTRIAL
Extreme-Duty

- ▶ Our steel cutting saw blades makes light work out of all kinds of mild steel, steel studs, sheet metal, pipe, channel, threaded rod, etc.
- ▶ Specially formulated C6 carbide tips resist breakage on impact and last much longer than standard carbide exchangeable saw blades or abrasives
- ▶ These exchangeable metal cutting saw blades reduce spark, eliminate wheel dust and burrs usually associated with abrasive wheels.
- ▶ C6 micrograin carbide tips
- ▶ Can be used on standard chop saws



Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1017352	10"	42	5/8"	059511016192	059511901115
1017372	7 1/4"	48	5/8" DKO	059511016208	059511901139
1017382	12"	80	1"	059511016338	059511901467
1017392	14"	80	1"	059511016345	059511901474



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Metal Cutting Cermet

- ▶ Cermet metal cutting blades have specially formulated C6 ceramic carbide tips which resist breakage on impact and last much longer than standard carbide saw blades or abrasives
- ▶ Our steel cutting saw blades makes light work out of all kinds of mild steel, steel studs, sheet metal, pipe, channel, threaded rod, etc.
- ▶ These blades work well at the high operating temperatures produced while cutting ferrous metal products
- ▶ Cermet blades provide spark and dust free cuts and eliminate the burrs most often caused by abrasive wheels
- ▶ Faster, safer & cooler cutting



INDUSTRIAL
Extreme-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1017502	5 3/8"	32	5/8"	059511016987	059511908749
1017492	12"	80	1"	059511015997	059511908732
1017482	10"	60	5/8"	059511015980	059511908725
1017472	7 1/4"	40	5/8"	059511015973	059511908718
1017462	6 1/2"	40	5/8"	059511015966	059511908701
1017452	8"	50	5/8"	059511015935	059511908688
1017442	8"	42	5/8"	059511015928	059511908671



Fiber Cement

- ▶ Polycrystalline diamond layer on carbide tips provide fast, smooth cuts and last longer than any other type of exchangeable saw blade when cutting fiber cement products
- ▶ These exchangeable saw blades are specifically designed for cutting fiber cement cladding products with minimal dust
- ▶ Exceptionally long lasting with a life expectancy in excess of 8,000 cuts in standard fiber cement siding material
- ▶ The only logical choice for the professional installer



INDUSTRIAL
Extreme-Duty

Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1017402	7 1/4"	4	5/8" DKO	059511015881	059511901146
1017412	10"	6	5/8"	059511015898	059511901313
1017422	12"	8	1"	059511015904	059511901344
1017432	6 1/2"	4	5/8"	059511015911	059511901610



All Purpose



INDUSTRIAL
Extreme-Duty

- ▶ Industrial quality, all purpose exchangeable saw blade can be used for both ripping and crosscutting of all types of hard and soft wood. One of the best all round blades
- ▶ Top quality hardened and tensioned steel plate provide consistent, precision cutting
- ▶ Special tooth configuration provides fast smooth cuts in almost any type of wood product and a special deep gullet provides fast chip removal
- ▶ Precision micrograin C4 carbide tips, fully sharpened on top, face, and sides



Item #	Diameter	Teeth	Arbor	UPC	Exchange UPC
1015822	10"	50	5/8"	059511015829	059511900651
1015872	12"	60	1"	059511015836	059511900668
1015922	14"	70	1"	059511015843	059511900675
1015942	15"	70	1"	059511015850	059511900682
1015972	16"	80	1"	059511015867	059511900699





DIAMOND BLADES

Make the perfect cut

EVERY TIME

NO MATTER WHETHER YOU'RE CUTTING CONCRETE, BLOCK AND BRICK, PORCELAIN TILE, SLATE, GRANITE, MARBLE, FIBER CEMENT, GLASS, OR TERRAZZO, WE HAVE THE RIGHT DIAMOND BLADE AT THE RIGHT PRICE.



GEN IND

SEGMENTED

The fastest cutting diamond blade configuration to cut concrete, brick, block, pavers, and metal



GEN IND

TURBO RIM

Cuts concrete, brick, block, pavers, stucco, slate, terrazzo, marble, and fiber cement



GEN IND

CONTINUOUS RIM

Cuts porcelain tile, stucco, ceramic, slate, terrazzo, marble, and glass



IND

MESH RIM

Cuts porcelain and ceramic tile as well as marble and granite



GEN PRO

SPECIALTY DIAMOND ACCESSORIES

All For grinding, polishing and maintaining concrete, brick, and block surfaces, and for restoring mortar joints

⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Segmented Rim

- ▶ **Construction Pro** segmented diamond blade are designed for the budget conscience consumer. Great blades that will get the job done everytime.
- ▶ Segmented diamond blades designed for the high production cutting of cured concrete, stone, masonry, brick, and block
- ▶ The diamond blades in this category can be used for wet or dry cutting however wet cutting is recommended and will extend the life of the blade

Item #	Diameter	Arbor	RPM	UPC	Exchange UPC
3120052	4 1/2"	5/8"	13200	059511006582	059511910216
3120062	7"	5/8"	8450	059511006599	059511910216
3120072	10"	5/8"	6100	059511006605	059511910230
3120082	12"	1"	5100	059511006612	059511910230
3120092	14"	1"	4400	059511006629	059511910230

- ▶ **EAB Green Series** segmented diamond blades combine performance and quality for perfect cuts in concrete and other masonry materials.
- ▶ When cutting concrete with rebar, blade life will be shortened considerably
- ▶ Not recommended for cutting stucco

Item #	Diameter	Arbor	RPM	UPC	Exchange UPC
3110052	4 1/2"	7/8" - 5/8"	13200	059511006056	059511909104
3110062	7"	7/8" - 5/8" DKO	8450	059511006063	059511909111
3110072	10"	5/8"	6100	059511006070	059511909128
3110082	12"	1"	5100	059511006087	059511909135
3110092	14"	1"	4400	059511006094	059511909142

- ▶ **EAB Contractor Black Series** provides deeper carbide segments for longer wear. Designed for the heavy-duty user who demands performance.
- ▶ Specially formulated bonds with higher concentrations of quality diamonds provide longer life and superior cutting performance

Item #	Diameter	Arbor	RPM	UPC	Exchange UPC
3110262	12"	1"	5100	059511006360	059511909418
3110272	14"	1"	4400	059511006377	059511909425
3110312	7"	7/8" - 5/8" DKO	8450	059511006414	059511909463



GENERAL
Light Contractor
& DIY



GENERAL
Light Contractor
& DIY



INDUSTRIAL
Extreme-Duty



Turbo Rim

► Construction Pro

- Turbo diamond blades provide slightly smoother cuts in cured concrete, stone, masonry, brick, block, stucco, and fiber cement products
- The diamond blades in this category can be used for wet or dry cutting however wet cutting is recommended and will extend the life of the blade
- The Turbo segment is designed not to catch and tear mesh while cutting stucco

Item #	Diameter	Arbor	RPM	UPC	Exchange UPC
3120002	4"	5/8"	15000	059511006674	059511910216
3120012	4 1/2"	5/8"	13200	059511006681	059511910216
3120022	5"	5/8"	12200	059511006698	059511910216
3120032	7"	5/8"	8450	059511006704	059511910216



GENERAL
Light Contractor
& DIY

► EAB Green Series

Item #	Diameter	Arbor	RPM	UPC	Exchange UPC
3110002	4"	7/8" - 5/8"	15000	059511006001	059511909050
3110012	4 1/2"	7/8" - 5/8"	13200	059511006018	059511909067
3110022	5"	7/8" - 5/8"	12200	059511006025	059511909074
3110032	7"	7/8" - 5/8" DKO	8450	059511006032	059511909081
3110042	10"	5/8"	6100	059511006049	059511909098



GENERAL
Light Contractor
& DIY

► EAB Contractor Black Series

Item #	Diameter	Arbor	RPM	UPC	Exchange UPC
3110202	4"	7/8" - 5/8"	15000	059511006193	059511909241
3110302	4 1/2"	7/8" - 5/8"	13200	059511006407	059511909456
3110212	7"	7/8" - 5/8" DKO	8450	059511006209	059511909258



INDUSTRIAL
Extreme-Duty

 **WARNING:** Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Continuous Rim



GENERAL
Light Contractor
and DIY

- ▶ **Construction Pro** smooth, fast cutting with minimal chipping of ceramic tile, marble, slate, and similar materials
- ▶ The diamond blades in this category can be used for wet or dry cutting however wet cutting is recommended and will extend the life of the blade

Item #	Diameter	Arbor	RPM	UPC	Exchange UPC
3120112	4"	5/8"	15000	059511006636	059511910216
3120122	4 1/2"	5/8"	13200	059511006643	059511910216
3120132	7"	5/8"	8450	059511006650	059511910216
3120142	10"	5/8"	6100	059511006667	059511910230



- ▶ **EAB Green Series** continuous rim diamond blades specifically designed to cut tile and marble; provide smooth cuts on floor and wall tile, marble, slate, granite tops, etc.
NOTE: a special blade should be used for hard porcelain

Item #	Diameter	Arbor	Description	RPM	UPC	Exchange UPC
3110102	3 3/8"	15mm	Marble & Tile Cutting	15000	059511006100	059511909159
3110112	4"	7/8" - 5/8"	Marble & Tile Cutting	15000	059511006117	059511909166
3110122	4 1/2"	7/8" - 5/8"	Marble & Tile Cutting	13200	059511006124	059511909173
3110132	7"	5/8" DKO	Marble & Tile Cutting	8450	059511006131	059511909180
3110142	10"	5/8"	Marble & Tile Cutting	6100	059511006148	059511909197
3110282	4 1/2"	7/8" - 5/8"	Marble & Tile Cutting	13200	059511006384	059511909432
3110292	7"	7/8" - 5/8" DKO	Marble & Tile Cutting	8450	059511006391	059511909449



- ▶ **EAB Contractor Black Series** can be used for wet or dry cutting however, because of the hard nature of porcelain tiles wet cutting is recommended and will extend the life of the blade
- ▶ Specially formulated bonds with higher concentrations of quality diamonds provide longer life and superior cutting performance

Item #	Diameter	Arbor	Description	RPM	UPC	Exchange UPC
3110152	4"	7/8" - 5/8"	Porcelain Cutting	15000	059511006155	059511909203
3110162	4 1/2"	7/8" - 5/8"	Porcelain Cutting	13200	059511006162	059511909210
3110172	7"	7/8" - 5/8" DKO	Porcelain Cutting	8450	059511006179	059511909227
3110182	10"	5/8"	Porcelain Cutting	6100	059511006186	059511909234
3110222	4"	7/8" - 5/8"	Tile & Marble Cutting	15000	059511006216	059511909265
3110232	7"	5/8" DKO	Tile & Marble Cutting	8450	059511006223	059511909272
3110242	10"	5/8"	Tile & Marble Cutting	6100	059511006230	059511909289



INDUSTRIAL
Extreme-Duty



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

120V - 60Hz - 15A - 2 1/2 HP
Blade no-load speed: 2700RPM
Max. cut capacity: 24" Rip; 3" Depth
Arbor size/Dimension de l'arbre: 5/8"
Vitesse de vide: 2700 TR/MIN
Capacité max. de coupe: Travers 610mm; Prof. 76mm

Made in China
Fabriqué en Chine



 W
in
Keep fing
Attention:
abaisse
Gardez les

EAB
EXCHANGE-A-BLADE

Clean cuts in Porcelain,
Ceramic, Marble and Granite
Can be used wet or dry



Mesh Rim

- ▶ Diamond mesh rim is specially designed to provide clean fast cuts with less heat build up
- ▶ Clean cuts in porcelain, ceramic tile, marble and granite
- ▶ The diamond blades in this category can be used for wet or dry cutting however wet cutting is recommended and will extend the life of the blade

Item #	Diameter	Arbor	RPM	UPC	Exchange UPC
3130002	4"	7/8" - 5/8"	14500	059511006797	059511910414
3130012	4 1/2"	7/8" - 5/8"	13200	059511006803	059511910414
3130022	5"	7/8" - 5/8"	12200	059511006810	059511910414
3130032	7"	7/8" - 5/8"	8450	059511006827	059511910421
3130042	10"	7/8" - 5/8"	6100	059511006834	059511910421



INDUSTRIAL
Extreme-Duty

Specialty Cup Wheel – Segmented

- ▶ Diamond segments optimized for quick, smooth material removal
- ▶ All steel body designed for the most demanding jobs
- ▶ Dust extraction holes provide necessary air flow and debris removal
- ▶ Can be used wet or dry

Item #	Diameter	Arbor	RPM	UPC	Exchange UPC
Double Row					
3110502	4 1/2"	7/8"	13200	059511006735	059511910353
3110512	5"	7/8"	12200	059511006742	059511910353
3110562	7"	7/8"	8600	059511006841	059511910353
Single Row					
3110482	4 1/2"	7/8"	13200	059511006711	059511910353
3110492	5"	7/8"	12200	059511006728	059511910353
Swirl					
3110542	4 1/2"	7/8"	13200	059511006773	059511910353
3110552	5"	7/8"	13200	059511006759	059511910353
Turbo Single Row					
3110522	4 1/2"	7/8"	13200	059511006759	059511910353
3110532	5"	7/8"	12200	059511006766	059511910353
3110572	7"	7/8"	8600	059511006858	059511910353



PROFESSIONAL
Heavy-Duty

Tuck Point Mortar Joints



INDUSTRIAL
Extreme-Duty

- ▶ Specifically designed for the high speed cutting of mortar joints
- ▶ Exceptionally durable; developed for restoration and professional use
- ▶ Specially formulated bonds with higher concentrations of quality diamonds provide longer life and superior cutting performance

Item #	Diameter	Arbor	RPM	UPC	Exchange UPC
3110252	4"	7/8" - 5/8"	15000	059511006247	059511909296



Metal Cutting Razor Back Diamond Blade



INDUSTRIAL
Extreme-Duty

- ▶ Tough, diamond electroplated blades outlast standard abrasives 40 to 1
- ▶ Designed to cut structural steel, sheet metal, stainless steel, aluminum, cast iron, non-ferrous metals, and rebar
- ▶ Tested to over 1,800 cuts in 1" x 1" x 1/8" steel tubing
- ▶ Fast cutting with less sparks than abrasive wheels
- ▶ These blades can also be used for light duty cutting of brick and block

Item #	Diameter	Arbor	RPM	UPC	Exchange UPC
3110402	4"	7/8" - 5/8"	12200	059511006506	059511909708
3110412	5"	7/8" - 5/8"	10000	059511006513	059511909715
3110422	6"	7/8" - 5/8" DKO	8450	059511006520	059511909722
3110432	7"	7/8" - 5/8" DKO	7500	059511006537	059511909739
3110442	8"	7/8" - 5/8" DKO	6500	059511006544	059511909746
3110452	10"	5/8"	5500	059511006551	059511909753
3110462	12"	1" - 20mm	5100	059511006568	059511909760
3110472	14"	1" - 20mm	4500	059511006575	059511909777



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Cut the perfect hole

EVERY TIME



HOLE SAWS

NO MATTER THE MATERIALS YOU'RE CUTTING OR THE HOLE SIZE YOU NEED, WE HAVE THE RIGHT HOLE SAW, AT THE RIGHT PRICE.



PRO

BIMETAL M2

Bimetal hole saws cut perfect holes in wood, plastics, ferrous (stainless steel, steel, cast iron) and non-ferrous metals (copper, and aluminum)



IND

BIMETAL M3

Bimetal hole saws cut perfect holes in wood, plastics, ferrous (stainless steel, steel, cast iron) and non-ferrous metals (copper, and aluminum)



IND

BIMETAL M42

Bimetal hole saws cut perfect holes in wood, plastics, ferrous (stainless steel, steel, cast iron) and non-ferrous metals (copper, and aluminum)



IND

CARBIDE C2

Cuts perfect holes in wood, plastics, and fiber cement. Not designed to cut metal



GEN PRO

DIAMOND GRIT

Cuts perfect holes in ceramic and porcelain tile, granite, marble, glass, and fiber cement



GEN PRO IND

MANDRELS

Mandrels are required for all hole saws

⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Bimetal M2



PRO
Heavy-Duty

- ▶ These professional grade, M2 bimetal hole saws cut wood, plastics, ferrous, and non-ferrous metal
- ▶ Value priced and available in sizes from 3/4" to 6"
- ▶ Deep 1 3/8" cut with 3/16" heavy duty backing plate adds strength & stability and prevents mandrel run-out
- ▶ Tested to over 70 cuts in 3/16" plate steel versus competitors 10 to 50 cuts

Item #	Diameter	UPC	Exchange UPC
1055482	3/4"	059511055306	059511905502
1055512	7/8"	059511055313	059511905519
1055562	1"	059511055061	059511905380
1055592	1 1/8"	059511055320	059511905526
1055622	1 1/4"	059511055078	059511905397
1055632	1 3/8"	059511055337	059511905533
1055652	1 1/2"	059511055085	059511905403
1055662	1 3/4"	059511055092	059511905410
1055682	1 7/8"	059511055344	059511905540
1055702	2"	059511055108	059511905427
1055732	2 1/8"	059511055115	059511905434
1055742	2 1/4"	059511055122	059511905441
1055752	2 1/2"	059511055139	059511905458
1055762	2 3/8"	059511055351	059511905557
1055772	2 3/4"	059511055368	059511905564
1055792	3"	059511055146	059511905465
1055802	3 1/4"	059511055375	059511905571
1055822	3 1/2"	059511055153	059511905472
1055832	3 3/4"	059511055382	059511905588
1055842	4 1/8"	059511055399	059511905595
1055852	4"	059511055160	059511905489
1055862	4 1/4"	059511055405	059511905601
1055882	4 1/2"	059511055177	059511905496
1055902	5"	059511055412	059511905618
1055912	5 1/2"	059511055429	059511905625
1055932	6"	059511055436	059511905632





INDUSTRIAL
Extreme-Duty

Bimetal M3

- ▶ Premium M3 industrial grade, bimetal hole saws cut everything from wood and plastics to aluminum, steel, cast iron, and stainless steel
- ▶ The 4/6 tooth per inch configuration allows for easy chip removal and faster, cleaner cuts. Tested to over 90 cuts in 3/16" steel plate
- ▶ Extra deep body allows for 1 5/8" cutting depth
- ▶ 3/16" heavy duty backing plate adds strength & stability and prevents mandrel run-out
- ▶ Hole saws are available in 40 sizes from 3/4" to 7 7/8"

Item #	Diameter	UPC	Exchange UPC
1054122	4 3/8"	059511054194	059511906707
1054482	3/4"	059511054484	059511905007
1054512	7/8"	059511054514	059511905816
1054562	1"	059511054569	059511905021
1054582	2 9/16"	059511054729	059511905809
1054592	1 1/8"	059511054590	059511905038
1054602	1 3/16"	059511054606	059511905311
1054622	1 1/4"	059511054620	059511905045
1054632	1 3/8"	059511054637	059511905052
1054652	1 1/2"	059511054651	059511905069
1054662	1 3/4"	059511054682	059511905076
1054672	1 5/8"	059511055030	059511905359
1054682	1 7/8"	059511054699	059511905229
1054692	2 7/8"	059511054712	059511905793
1054702	2"	059511054705	059511905083
1054712	4 3/4"	059511054743	059511905649
1054722	5 1/4"	059511054897	059511905656
1054732	2 1/8"	059511054736	059511905090
1054742	2 1/4"	059511054750	059511905106
1054752	2 1/2"	059511054774	059511905113
1054762	2 3/8"	059511054767	059511905236
1054772	2 3/4"	059511054781	059511905243
1054782	2 5/8"	059511055047	059511905366
1054792	3"	059511054798	059511905120
1054802	3 1/4"	059511054811	059511905137
1054812	3 7/8"	059511054873	059511905328



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Bimetal M3 – con't



INDUSTRIAL
Extreme-Duty

Item #	Diameter	UPC	Exchange UPC
1054822	3 1/2"	059511054828	059511905144
1054832	3 3/4"	059511054835	059511905151
1054842	4 1/8"	059511054842	059511905304
1054852	4"	059511054859	059511905168
1054862	4 1/4"	059511054866	059511905175
1054872	3 5/8"	059511055054	059511905373
1054882	4 1/2"	059511054880	059511905182
1054892	3 1/8"	059511054804	059511905014
1054902	5"	059511054903	059511905199
1054912	5 1/2"	059511054910	059511905205
1054922	6 1/4"	059511054927	059511905663
1054932	6"	059511054934	059511905212
1054952	6 5/8"	059511055016	059511905335
1054962	7 7/8"	059511055023	059511905342
1054992	3 3/8"	059511054491	059511905823



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.



INDUSTRIAL
Extreme-Duty

Bimetal M42

- ▶ Our longest lasting hole saw—outlasts competitors’ hole saws. Lab tests show 140 holes in 3/16" steel plate
- ▶ Industrial grade, bimetal hole saws made from M42 cobalt high speed steel
- ▶ Cut everything from wood & plastics to aluminum, steel, cast iron, and stainless steel
- ▶ The 4/6 tooth per inch configuration allows for easy chip removal and faster, cleaner cuts
- ▶ Extra deep body allows for 1 7/8" cutting depth and new, improved slot for easy plug removal

Item #	Diameter	UPC	Exchange UPC
1057022	1"	059511056020	059511906332
1057032	1 1/8"	059511056037	059511906349
1057052	1 1/4"	059511056051	059511906363
1057062	1 3/8"	059511056068	059511906370
1057072	1 1/2"	059511056075	059511906387
1057092	1 3/4"	059511056099	059511906400
1057102	1 7/8"	059511056105	059511906417
1057112	2"	059511056112	059511906424
1057122	2 1/8"	059511056129	059511906431
1057132	2 1/4"	059511056136	059511906448
1057142	2 3/8"	059511056143	059511906455
1057152	2 1/2"	059511056150	059511906462
1057182	2 3/4"	059511056181	059511906493
1057192	3"	059511056198	059511906509
1057202	3 1/8"	059511056204	059511906516
1057212	3 1/4"	059511056211	059511906523
1057232	3 1/2"	059511056235	059511906547
1057252	3 3/4"	059511056259	059511906561
1057262	3 7/8"	059511056266	059511906578
1057272	4"	059511056273	059511906585
1057282	4 1/8"	059511056280	059511906592
1057292	4 1/4"	059511056297	059511906608
1057302	4 1/2"	059511056303	059511906615
1057322	5"	059511056327	059511906639
1057352	6"	059511056358	059511906660



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Carbide C2



- ▶ C2 carbide tipped teeth; lasts for thousands of cuts
- ▶ 10 times faster, but coarser cutting than our regular bimetal hole saws
- ▶ Recommended for all wood products and the only hole saw capable of high speed cutting of fiber cement products
- ▶ Use with carbide tipped pilot drill for fiber cement products
- ▶ Not recommended for cutting metal products

Item #	Diameter	UPC	Exchange UPC
1056002	3/4"	059511055504	059511905830
1056012	7/8"	059511055511	059511905847
1056022	1"	059511055528	059511905854
1056032	1 1/8"	059511055535	059511905861
1056042	1 3/8"	059511055542	059511905878
1056052	1 1/2"	059511055559	059511905885
1056062	1 3/4"	059511055566	059511905892
1056072	2"	059511055573	059511905908
1056082	2 1/8"	059511055580	059511905915
1056092	2 1/4"	059511055597	059511905922
1056102	2 1/2"	059511055603	059511905939
1056112	3"	059511055610	059511905946
1056122	3 3/8"	059511055627	059511905953
1056132	3 1/2"	059511055634	059511905960
1056142	4"	059511055641	059511905977
1056152	4 3/4"	059511055658	059511905984
1056162	3 5/8"	059511055665	059511905991
1056172	4 1/4"	059511055672	059511906004
1056182	4 5/8"	059511055689	059511906011
1056192	5 1/2"	059511055696	059511906028
1056202	6 1/4"	059511055702	059511906035
1056212	2 9/16"	059511055719	059511906042
1056222	2 3/4"	059511055726	059511906059
1056232	4 1/8"	059511055733	059511906066



Diamond Hole Saws

- ▶ Drill clean, accurate holes in ceramic & porcelain tile, marble, glass, fiberglass, terrazzo, and fiber cement
- ▶ For use with handheld or stationary drills
- ▶ Must be used with water
- ▶ Cutting template included for a perfect hole every time
- ▶ See video and usage guide for diamond hole saws in the blog section of our website

Item #	Diameter	UPC	Exchange UPC
3056002	1/4"	059511006254	059511909302
3056012	3/8"	059511006261	059511909319
3056022	1/2"	059511006278	059511909326
3056032	3/4"	059511006285	059511909333
3056042	1"	059511006292	059511909340
3056052	1 1/4"	059511006308	059511909357
3056062	1 3/8"	059511006315	059511909364
3056072	1 1/2"	059511006322	059511909371
3056082	2"	059511006339	059511909388
3056092	2 1/2"	059511006346	059511909395
3056102	3/16"	059511006353	059511909401



GENERAL
Light Contractor
& DIY

General Mandrels

- ▶ EAB General purpose mandrels are designed for light duty jobs, perfect for the DIYer
- ▶ All mandrels come complete with a high-speed 1/4" pilot drill and are fully heat treated for long, trouble free life
- ▶ A mandrel is required for all hole saws
- ▶ Worn pilot drills are easily replaced
- ▶ Rubber o-ring secures hole saw to mandrel for a tighter fit and no vibration

Item #	Shank Size	UPC	Exchange UPC
1054472	7/16"	059511054415	059511906288
1054462	3/8"	059511054408	059511906271
1054612	3/8"	059511054446	059511906301



GENERAL
Light Contractor
& DIY

 WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Industrial Mandrels



- ▶ EAB Industrial hole saw mandrels are designed for extreme duty use
- ▶ All mandrels come complete with a high-speed 1/4" pilot drill and are fully heat treated for long, trouble free life
- ▶ Worn pilot drills are easily replaced
- ▶ A mandrel is required for all hole saws

Item #	Shank Size	Description	UPC	Exchange UPC
1054502	3/8"	Spring loaded, fits 9/16" to 1-1/4" hole saws	059511054002	059511906219
1054522	1/4"	Fits 9/16" to 1-1/4" hole saws	059511054019	059511906226
1054382	3/8"	Quick change fits 1-1/4" to 7-7/8" hole saws	059511054347	059511905731
1054402	7/16"	Quick change fits 1-1/4" to 7-7/8" hole saws	059511054361	059511905755
1054552	SDS	Spring loaded, fits 9/16" to 1-3/16" hole saws	059511054040	059511906257
1054572	SDS	Spring loaded, fits 1-1/14" to 7-7/8" hole saws	059511054057	059511906264
1054532	3/8"	Spring loaded, fits 1-1/14" to 7-7/8" hole saws	059511054026	059511906233
1054542	7/16"	Spring loaded, fits 1-1/14" to 7-7/8" hole saws	059511054033	059511906240
1054372	3/8"	Plug out mandrel fits 1-1/4" to 7-7/8" hole saws	059511054330	059511905724
1054392	7/16"	Plug out mandrel fits 1-1/4" to 7-7/8" hole saws	059511054354	059511905748



Professional Mandrels



- ▶ Rock solid 12" extension for extended reach into tight places (Item#: 1054412)
- ▶ The 12" extension is double ended to accept both 3/8" and 7/16" mandrels and will fit 3/8" and 1/2" drills
- ▶ A mandrel is required for all hole saws

Item #	Shank Size	Description	UPC	Exchange UPC
1054412	3/8" & 7/16"	12" double ended extension	059511054378	059511905762
1054362	3/8"	Fits 9/16" to 1-1/4" hole saws	059511054323	059511905717
1054432	7/16"	Quick change fits 1-1/4" to 7-7/8" hole saws	059511054392	059511905786
1054342	1/4"	Adaptor converts 1/4" mandrel to fit 1-1/4" to 2-1/16" hole saws	059511054309	059511905694
1054422	1/4"	Carbide pilot drill bit	059511054385	059511905779
1054322	1/4"	Extra long pilot drill bit	059511054286	059511905670
1054332	1/4"	Standard length pilot drill bit	059511054293	059511905687
1054352	1/4"	Fits 9/16" to 1-1/4" hole saws	059511054316	059511905700





INDUSTRIAL
Extreme-Duty

Hole Saw Kits

► Industrial M3 bimetal hole saw kit

Item #	Diameter	Size	Description	UPC
1054172	9 Pc Multipack	3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4", 1/4" mandrel, 7/16" QC mandrel, and mandrel adaptor	Plumber's Hole Saw Kit	059511055443
1054182	9 Pc Multipack	7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2", 1/4" mandrel, 7/16" QC mandrel, mandrel and adaptor	Electrician's Hole Saw Kit	059511055450
1054942	12 Pc Multipack	3/4", 7/8", 1", 1-1/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/2", 1/4" mandrel, 7/16" QC mandrel, and mandrel adaptor	General Purpose Hole Saw Kit	059511055467
1054972	9 Pc Multipack	3/4", 7/8", 1 1/8", 1 1/2", 1 3/4", 2 1/4" plus 1/4" & 3/8" mandrels, and mandrel adapter	Plumber's Bi-Metal Hole Saw Kit	059511055009
1054982	9 Pc Multipack	7/8", 1 1/8", 1 3/8", 1 3/4", 2", 2 1/2") plus 1/4" & 3/8" mandrels, and mandrel adapter	Electrician's Hole Saw Kit	059511054996





Accessories for the perfect job

EVERY TIME

OSCILLATING ACCESSORIES

NO MATTER THE MATERIALS YOU'RE WORKING WITH, WE HAVE THE RIGHT UNIVERSAL AND STARLOCK OTA AT THE RIGHT PRICE TO DELIVER CLEAN RESULTS IN TIGHT QUARTERS.



GEN **PRO** **IND**

CUTTING

Cuts wood, composites, drywall, soft metals, flooring, fiber cement, plastic, nails, ferrous, and non-ferrous metals



PRO **IND**

GRINDING

Grinds wood, composites, grout, drywall, and adhesives



PRO **IND**

SCRAPING

Scrapes wood, paint, glue, sealants, adhesives, vinyl, flooring, and caulking



PRO **IND**

SANDING

Sands wood and composites (plywood and particleboard), and removes rust

⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Cutting

Item #	Blade Size	Application	Material Usage	UPC	Pack
1071592	13/8"	Flush Cut Bimetal	Wood, Nails, Soft Metal	059511408102	5 pcs
1071692	13/8"	Flush Cut Bimetal	Wood, Soft Metal	059511005912	3 pcs
1071572	13/8"	Flush Cut HCS	Wood, Plastics, Drywall	059511408089	5 pcs
1071582	13/8"	Japanese Tooth Flush Cut HCS	Wood, Plastics, Drywall	059511408096	5 pcs
1071672	13/8"	Flush Cut HCS	Wood, Plastics, Drywall	059511005899	3 pcs
1071682	13/8"	Japanese Tooth Flush Cut HCS	Wood, Plastics, Drywall	059511005905	3 pcs



GEN
GENERAL
Light Contractor
& DIY

Cutting

- ▶ Exchangeable, professional grade oscillating tool accessories
- ▶ High carbon steel blade for fast cutting wood, plastics, and drywall products to 1-1/2" deep
- ▶ New & improved quality! Excellent durability and performance

Item #	Blade Size	Application	Material Usage	UPC	Exchange UPC
1070052	3 3/8"	Angled Circular Blade	Wood	059511407051	059511902051
1072052	11/4"	Jab Saw	Drywall	059511407778	059511902600
1072062	2 1/2"	4-in-1 Drywall Tool	3" 4-in-1 Drywall HCS	059511005851	059511902884
1070042	11/4"	Flush Cut	Wood, Drywall, Soft Metal	059511407044	059511902044
1070232	11/4"	Flush Cut	Wood, Drywall, Soft Metal	059511407235	5 pcs pack
1070542	11/4"	Carbide Tooth Flush Cut	Wood, Drywall, Soft Metal	059511005868	3 pcs pack
1072002	11/4"	Carbide Tooth Flush Cut	Wood, Metals, Fiber Cement, Wood Flooring	059511407716	059511902556
1070212	1 1/4" (x2), 2 3/4", 3 3/8"	Assorted Starter Kit	Wood, Drywall	059511407211	4 pcs pack
1072032	5/8"	90 Degree Flush Cut	Wood, Plastics, Drywall, Nails	059511407754	059511902587
1070012	3/4"	Flush Cut	Wood, Drywall	059511407013	059511902013
1070022	11/4"	Flush Cut	Wood, Drywall	059511407020	059511902020
1070032	2 3/4"	Flush Cut	Wood, Drywall	059511407037	059511902037
1070222	11/4"	Flush Cut	Wood, Drywall	059511407228	5 pcs pack
1070482	11/4"	Flush Cut	Wood, Drywall	059511407518	059511902488
1070552	2 3/4"	Flush Cut	Wood, Plastics, Drywall	059511005875	3 pcs pack
1070562	3/4", 11/4"	Multi Material Kit	Wood, Drywall	059511005882	3 pcs pack
1072042	11/2"	90 Degree Flush Cut	Wood, Drywall	059511407761	059511902594
1070512	Assorted	Cutting & Scraping	Wood, Drywall	059511407952	6 pcs pack
1070522	Assorted	Cutting & Scraping	Tile, Wood, Drywall	059511407969	8 pcs pack



PRO
PROFESSIONAL
Heavy-Duty

⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.



INDUSTRIAL
Extreme-Duty

Cutting

- ▶ Exchangeable, heavy-duty, Industrial grade, oscillating tool accessories. Made in Switzerland
- ▶ Circular, bimetal blade offers multiple cutting edges for wood, soft metal, and drywall to 1 7/8" deep
- ▶ Will fit all OIS compatible tools including Bosch, Fein, Milwaukee, Makita, Rigid, and more
- ▶ Individually packaged with fully recyclable materials

Item #	Size	Tool	Application	Material Usage	UPC	Exchange UPC
1070382	3 3/8"	Universal	Circular Flush Cut	Wood, Drywall, Soft Metal	059511407389	059511902389
1070322	3/4"	Universal	Flush Cut	Wood, Drywall, Soft Metal	059511407327	059511902327
1070332	1 1/8"	Universal	Flush Cut	Wood, Drywall, Soft Metal	059511407334	059511902334
1070342	2 1/2"	Universal	Flush Cut	Wood, Drywall, Soft Metal	059511407341	059511902341
1070372	3 3/8"	Universal	Circular Flush Cut	Wood, Drywall, Soft Metal	059511407372	059511902372
1071322	3/4"	Starlock	Flush Cut	Wood, Drywall, Soft Metal	059511407525	059511902549
1071332	1 1/4"	Starlock	Flush Cut	Wood, Drywall, Soft Metal	059511407532	059511902549
1071342	2 1/2"	Starlock	Flush Cut	Wood, Drywall, Soft Metal	059511407549	059511902549
1071492	1 1/4"	Starlock	Flush Cut	Wood, Metal	059511407624	059511902549
1071502	3/4"	Starlock	Carbide Tooth Flush Cut	Wood, Drywall, Soft Metal	059511407631	059511902549
1071542	1 1/4"	Starlock	Carbide Tooth Flush Cut	Wood, Metal, Fiber Cement, Drywall	059511407679	059511902549
1071562	1 1/4"	Starlock Max	Carbide Tooth Deep Cut	Wood, Drywall	059511407693	059511902549
1070362	1 1/4"	Universal	Hardwood Flush Cut	Wood, Drywall, Soft Metal	059511407365	059511902365
1071362	1 1/4"	Universal	Hardwood Flush Cut	Wood, Drywall, Soft Metal	059511407563	059511902549
1070352	1 1/4"	Universal	HCS Flush Cut	Wood, Drywall, Soft Metal	059511407358	059511902358
1071352	1 1/4"	Starlock	HCS Flush Cut	Wood, Drywall, Soft Metal	059511407556	059511902549
1071482	2 1/2"	Starlock	HCS Flush Cut	Wood, Drywall	059511407617	059511902549
1071522	1 1/4"	Starlock	HCS Hook Blade	Shingles, Carpet, Vinyl	059511407655	059511902549
1071372	3 1/2"	Starlock	Circular Flush Cut	Wood, Drywall, Soft Metal	059511407570	059511902549
1071552	1 1/4"	Starlock	Deep Flush Cut	Sheet Metal, Wood, Metal, Drywall	059511407686	059511902549



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Grinding

- ▶ Exchangeable, professional grade *universal* oscillating tool accessories
- ▶ For fast, clean removal of old and damaged tile grout
- ▶ New & improved quality! Excellent durability and performance
- ▶ Individually packaged with fully recyclable materials
- ▶ Designed to fit Fein , Dremel , Milwaukee , Ridgid , Bosch , Porter Cable , Makita , Stanley FatMax , Skil , Ryobi , Craftsman , and Mastercraft as well as many other popular brands



PROFESSIONAL
Heavy-Duty

Item #	Size	Material Usage	UPC	Exchange UPC
1070102	2 1/2"	Grout	059511407105	059511902105
1070092	3"	Wood, Drywall, Grout, Adhesive Materials	059511407099	059511902099
1070292	2 1/2"	Sheet Metal, Wood, Metal, Plastics, Grout	059511407303	059511902297



Grinding

- ▶ Exchangeable, heavy-duty, industrial grade Starlock oscillating tool accessories
- ▶ For fast removal of damaged grout and mortar
- ▶ 3D fit for greater power distribution and convenient no-touch, ultra fast tool change
- ▶ Made in Switzerland



INDUSTRIAL
Extreme-Duty

Item #	Tool	Size	Material Usage	UPC	Exchange UPC
1071392	Starlock	3 1/2"	Tile, Ceramic, Grout	059511407587	059511902051
1071402	Starlock	2 3/4"	Grout	059511407594	059511902549
1070392	Universal	3 3/8"	Grout	059511407396	059511902396



Scraping

PRO

PROFESSIONAL
Heavy-Duty

- ▶ Exchangeable, professional grade *universal* oscillating tool accessories
- ▶ For the easy removal of paint, glue, sealants, adhesive materials, carpet, and vinyl
- ▶ New & improved quality! Excellent durability and performance
- ▶ Designed to fit Fein , Dremel , Milwaukee , Ridgid , Bosch , Porter Cable , Makita , Stanley FatMax , Skil , Ryobi , Craftsman , and Mastercraft as well as many other popular brands

Item #	Size	Material Usage	UPC	Exchange UPC
1070082	2"	Wood, Vinyl Tile, Paint, Carpet, Glue, Sealants, Adhesive Materials	059511407082	059511902082
1072012	7/8"	Caulking, Sealants	059511407730	059511902631
1072022	1 5/16"	Caulking, Sealants	059511407747	059511902624
1070072	2"	Wood, Vinyl Tile, Paint, Carpet, Glue, Sealants, Adhesive Materials	059511407075	059511902075



Scraping

IND

INDUSTRIAL
Extreme-Duty

- ▶ Exchangeable, heavy-duty, industrial grade Starlock oscillating tool accessories
- ▶ For the easy removal of paint, glue, sealants and adhesive materials
- ▶ 3D fit for greater power distribution and convenient no-touch, ultra fast tool change
- ▶ Made in Switzerland

Item #	Tool	Size	Material Usage	UPC	Exchange UPC
1071412	Starlock	2"	Wood, Paint, Glue, Sealants, Adhesive Materials	059511407600	059511902549
1070412	Universal	2"	Wood, Vinyl Tile, Paint, Carpet, Glue, Sealants, Adhesive Materials	059511407419	059511902419
1071532	Starlock	2"	Wood, Paint, Glue, Sealants, Adhesive Materials	059511407662	059511902549
1070422	Universal	2"	Wood, Vinyl Tile, Paint, Carpet, Glue, Sealants, Adhesive Materials	059511407426	059511902426



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Sanding

- ▶ Sized to fit most oscillating sanding pads (15 piece)
- ▶ Triangular shape allows precise sanding right into tight corners
- ▶ Convenient hook and loop attachment system holds tight, but easily removed
- ▶ 5 pieces each of 60, 120 and 240 grit for all your sanding needs



INDUSTRIAL
Extreme-Duty

Item #	Size	Material Usage	UPC	Exchange UPC
1070112	3"	Wood, Plywood, Particle Board	059511407112	15 Pc Multipack
1070132	3"	Wood, Plywood, Particle Board	059511407136	10 Pack
1070142	3"	Wood, Plywood, Particle Board	059511407143	10 Pack
1070152	3"	Wood, Plywood, Particle Board	059511407150	10 Pack
1070122	3"	Hook & Loop Pad	059511407129	059511902129



Sanding

- ▶ Exchangeable, heavy-duty, Industrial grade, oscillating tool accessories. Made in Switzerland
- ▶ Sanding pad holds all hook and loop sandpaper and triangular shape fits into tight corners
- ▶ Hook and loop pad makes it quick and easy to change paper
- ▶ Individually packaged with fully recyclable materials
- ▶ Will fit all OIS compatible tools including Bosch , Fein , Milwaukee , Makita , Rigid , others



PROFESSIONAL
Heavy-Duty

Item #	Size	Material Usage	UPC	Exchange UPC
1070432	3 1/2"	Hook & Loop Pad	059511407433	059511902433
1070452	3 1/2"	Wood, Plywood, Particle Board	059511407457	10 Pack
1070462	3 1/2"	Wood, Plywood, Particle Board	059511407464	10 Pack
1070472	3 1/2"	Wood, Plywood, Particle Board	059511407471	10 Pack
1070532	-	3 pc Sanding/Refinishing Kit	059511407976	



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Industrial Adaptor

- ▶ OIS adapter allows EAB and Bosch blades to fit any oscillating tool
- ▶ Will fit all OIS compatible tools including Bosch, Fein, Milwaukee, Makita, Rigid, and more



INDUSTRIAL
Extreme-Duty

Item #	Size	UPC	Exchange UPC
1070442	Universal	059511407440	059511902440



DREMEL/BOSCH Adapter

- ▶ Adaptor designed to allow Universal Fit oscillating blades to fit on certain Dremel and Bosch tools
- ▶ Works with the following models DREMEL (MM35, MM40, MM45, MM50) BOSCH Bosch MX30EC-31, MX30EC-21, Bosch MX30EK-33, Bosch MX30EK-35, Bosch MX30EL-37, Bosch MXH180BN, Bosch MXH180BL



PROFESSIONAL
Heavy-Duty


Item #	Size	UPC	Pack
1070302	Universal	059511007473	2 pc



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

The perfect cut

EVERY TIME



RECIPROCATING BLADES

NO MATTER THE MATERIALS YOU'RE CUTTING, WE HAVE THE RIGHT RECIPROCATATING BLADE (RECIP) AT THE RIGHT PRICE.



DEMOLITION

Used in demolition work to cut wood, light metal, composites, fiber cement and nail-embedded wood. Grit edge blades cut tile, marble, and fiber cement products



WOOD

Blades designed for cutting wood, plywood, sheet metal, and pruning. Not recommended for wood with nails



METAL

Blades designed for cutting ferrous and non-ferrous metal

WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Metal Cutting

- ▶ Professional grade exchangeable reciprocating saw blades made from High Speed Steel with bimetal teeth for extended heavy duty cutting
- ▶ Ideal for cutting ferrous and non-ferrous metal products



PRO
PROFESSIONAL
Heavy-Duty

Item #	Length	TPI	UPC	Exchange UPC
11511742	6"	14 tpi	059511005943	059511902907
11511982	8"	10/14 tpi	059511005967	059511902907
11511292	8"	18 tpi	059511005981	059511902907
11511812	6"	18 tpi	059511005936	059511902907



Metal Cutting

- ▶ Available in all sizes up to 12", fits all popular tools
- ▶ Ideal for cutting ferrous and non-ferrous metal products



IND
INDUSTRIAL
Extreme-Duty

Item #	Length	TPI	UPC	Exchange UPC
11711292	8"	18 tpi	059511172133	059511907353
11711302	9"	10 tpi	059511172140	059511907360
11711322	12"	18 tpi	059511172157	059511907377
11711372	6"	24 tpi	059511172201	059511907124
11711402	9"	10/14 tpi	059511172256	059511907155
11711742	6"	14 tpi	059511172041	059511907049
11711812	6"	18 tpi	059511172058	059511907056





PRO
Professional
Heavy-Duty

Wood Cutting

- ▶ Professional grade exchangeable reciprocating saw blades made from High Speed Steel with bimetal teeth for extended heavy duty cutting
- ▶ Ideal for cutting all types of wood products, plastics, and composites

Item #	Length	TPI	UPC	Exchange UPC
11511362	6"	6 tpi	059511005950	059511902907
11511982	8"	10/14 tpi	059511005967	059511902907
11511432	9"	6 tpi	059511005974	059511902907
11511332	9"	5 tpi	059511005998	059511902907



Wood Cutting



IND
Industrial
Extreme-Duty

- ▶ Available in all sizes up to 12", fits all popular tools
- ▶ Ideal for cutting all types of wood products, plastics, and composites

Item #	Length	TPI	Pack	UPC	Exchange UPC
11711362	6"	6 tpi		059511172003	059511907001
11711332	9"	5 tpi		059511172270	059511908015
11711432	9"	6 tpi		059511172010	059511907018
11711435	9"	6 tpi	25 pc	059511172614	059511907018
11711502	12"	6 tpi		059511172027	059511907025
11711672	12"	3 tpi		059511172034	059511907032
11711982	8"	10/14 tpi		059511172065	059511907063
11711985	8"	10/14 tpi	25 pc	059511172607	059511907063
11712112	12"	10/14 tpi		059511172072	059511907070
11711332	9"	5 tpi		059511172270	059511908015



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.



Razor Back

- ▶ Industrial grade exchangeable reciprocating saw blades made from high speed steel with bimetal teeth for extended heavy duty cutting
- ▶ Available in all sizes up to 12", fits all popular tools
- ▶ Ideal for cutting wood, metal, plastics, nails, and general demolition work

Item #	Length	TPI	Material Usage	UPC	Exchange UPC
11711282	6"	8/10	Sheet Metal, Wood, Composites, Plywood, Particle Board, Lumber, Drywall, Panelling, Nails	059511172218	059511907506
11711312	12"	8/10	Sheet Metal, Wood, Composites, Plywood, Particle Board, Lumber, Drywall, Panelling, Nails	059511172225	059511907513
11711392	9"	8/10	Sheet Metal, Wood, Plywood, Particle Board, Lumber, Drywall, Panelling, Nails	059511172249	059511907148
11711395	9"	8/10	Sheet Metal, Wood, Composites, Plywood, Particle Board, Ferrous & Non-Ferrous Metals, Lumber, Drywall, Panelling, Nails	059511172638	059511907148 25 Pack
11711422	6"	6	Wood with Nails	059511172294	059511907179
11711442	9"	6	Wood with Nails	059511172300	059511907186 25 Pack
11711445	9"	6	Wood with Nails	059511172621	059511907186 25 Pack
11711462	12"	6	Wood with Nails	059511172324	059511907209
11711465	12"	6	Wood with Nails	059511172645	059511907209 25 Pack
11711472	6"	6	Wood, Fiber Cement, Nails, Carbide Tipped	059511172812	059511910445
11711492	12"	6	Wood, Fiber Cement, Nails	059511172829	059511910445



⚠ WARNING: Please see the manual to find out all the warning details associated with EAB & Stay Sharp products.

PRO

PROFESSIONAL
Heavy-Duty

Wood and Metal Kits with Bonus Case

- ▶ Professional grade exchangeable reciprocating saw blades made from High Speed Steel with bimetal teeth for extended heavy duty cutting
- ▶ Ideal for cutting all types of wood products, plastics, composites & light gauge metal
- ▶ BONUS case included

Item #	Pack	Description	UPC	Exchange UPC
11511006	6 pcs		059511006940	-
11511008	8 pcs		059511006957	-
11511010	10 pcs		059511006964	-



Multi Purpose Reciprocating Blade Handle


- ▶ Perfect for finishing those hard to reach cuts, pruning trees and getting that awkward screw into tight places
- ▶ Handle pivots for added grip
- ▶ The perfect addition to any tool box
- ▶ Accepts both reciprocating blades and 2" or longer hex shank screwdriver bits



PRO
PROFESSIONAL
Heavy-Duty

Item #	UPC	Exchange UPC
11613002	059511006490	059511907216





Drill bits that perform

EVERY TIME

DRILL BITS

NO MATTER THE MATERIALS YOU'RE WORKING WITH, WE HAVE THE RIGHT DRILL BIT ACCESSORY AT THE RIGHT PRICE TO MAKE YOUR JOB QUICK AND EASY.



WOOD

Drill bits for wood, composites, drywall, and plastics



METAL & WOOD

Designed for ferrous and non-ferrous metals but will also drill wood, composites, drywall, and plastics



MASONRY

Drill bits for concrete, brick and block, pavers, stucco, and fiber cement



SPECIALTY

Drill bits for tile, glass, multi-material, and countersinking

 **WARNING:** Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Auger

- ▶ Unique 4-flute cutting heads cut faster and cleaner while extending bit life
- ▶ Aggressive screw point tip for fast boring into all types of wood with minimal effort
- ▶ 1/4" hex shank reduces slipping and fits all 1/4" quick change chucks, including impact drivers
- ▶ Made from high quality high speed steel for maximum strength and durability



Item #	Diameter	Length	UPC	Exchange UPC
3242012	1/2"	6 1/4"	059511007510	059511909838
3242022	9/16"	6 1/4"	059511007527	059511909845
3242032	5/8"	6 1/4"	059511007534	059511909852
3242042	11/16"	6 1/4"	059511007541	059511909869
3242052	3/4"	6 1/4"	059511007558	059511909876
3242062	13/16"	6 1/4"	059511007565	059511909883
3242072	7/8"	6 1/4"	059511007572	059511909890
3242092	1"	6 1/4"	059511007619	059511909937
3242132	1 1/2"	6 1/4"	059511007633	059511909951
3242182	-	6" Extension	059511007640	059511909968
3242192	-	12" Extension	059511007657	059511909975



Brad Point

- ▶ Precision cutting edges for reduced splintering
- ▶ Brad point tip for accurate starts
- ▶ Flutes designed for efficient chip removal



Item #	Diameter	Length	UPC	Exchange UPC
1041412	1/8"	2 1/2"	059511042498	059511908695
1041422	3/16"	3 3/8"	059511042504	059511908695
1041432	1/4"	4"	059511042511	059511908695
1041442	5/16"	4 5/8"	059511042528	059511908695
1041452	3/8"	4 7/8"	059511042535	059511908695
1041462	7/16"	5 5/8"	059511042542	059511908695
1041472	1/2"	5 7/8"	059511042559	059511908695
1041482	5/8"	7"	059511042566	059511908695
1041492	1/4", 5/16", 3/8", 7/16", 1/2"		059511042573	5 Pc Multipack



Ship Auger



PROFESSIONAL
Heavy-Duty

- ▶ Hardened cutting edge provides long life in tough materials and nail embedded wood
- ▶ Wide flutes allow fast chip removal and reduced binding
- ▶ Fully forged for maximum life
- ▶ Aggressive pitch for faster drilling
- ▶ Longer lengths make it easy to drill larger timbers

Item #	Diameter	Length	UPC	Exchange UPC
1041002	3/8"	7 1/2"	059511042207	059511908695
1041012	1/2"	7 1/2"	059511042214	059511908695
1041022	5/8"	7 1/2"	059511042221	059511908695
1041032	3/4"	7 1/2"	059511042238	059511908695
1041042	7/8"	7 1/2"	059511042245	059511908695
1041052	1"	7 1/2"	059511042252	059511908695
1041062	3/8"	18"	059511042269	059511908695
1041072	1/2"	18"	059511042276	059511908695
1041082	5/8"	18"	059511042283	059511908695
1041092	3/4"	18"	059511042290	059511908695
1041102	7/8"	18"	059511042306	059511908695
1041112	1"	18"	059511042313	059511908695



Self Feed



PROFESSIONAL
Heavy-Duty

- ▶ Aggressive dual cutting edges provide speed and endurance for rough-in work
- ▶ Feed screw enhances boring with little pressure
- ▶ Open tooth design allows maximum chip clearing
- ▶ Cutting edges can be easily sharpened for longer life
- ▶ 7/16" hex shank for secure grip in drill chuck

Item #	Diameter	Length	UPC	Exchange UPC
1041502	1"	5"	059511005301	059511908695
1041522	1 1/4"	5"	059511005325	059511908695
1041532	1 3/8"	5"	059511005332	059511908695
1041542	1 1/2"	5"	059511005349	059511908695
1041552	1 3/4"	5"	059511005356	059511908695
1041562	2"	5"	059511005363	059511908695
1041572	2 1/8"	5"	059511005370	059511908695
1041582	2 1/4"	5"	059511005387	059511908695
1041592	2 9/16"	5"	059511005394	059511908695
1041512	1 1/8"	5"	059511005318	059511908695



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Spade

- ▶ Superior cutting head geometry provides fast, clean cuts
- ▶ Specialized spur tips allow for clean, fast starts
- ▶ Designed to deliver a constant feed rate for effortless drilling
- ▶ 1/4" hex shank provides quick change and reduced slippage

PRO

PROFESSIONAL
Heavy-Duty

Item #	Diameter	Length	UPC	Exchange UPC
1040112	3/8"	6"	059511041521	059511908695
1040122	1/2"	6"	059511041538	059511908695
1040132	9/16"	6"	059511041545	059511908695
1040142	5/8"	6"	059511041552	059511908695
1040152	11/16"	6"	059511041569	059511908695
1040162	3/4"	6"	059511041576	059511908695
1040172	7/8"	6"	059511041583	059511908695
1040182	1"	6"	059511041590	059511908695
1040192	1 1/8"	6"	059511041606	059511908695
1040202	1 1/4"	6"	059511041613	059511908695
1040212	1 3/8"	6"	059511041620	059511908695
1040222	1 1/2"	6"	059511041637	059511908695
1040232	3/8"	16"	059511041644	059511908695
1040242	1/2"	16"	059511041651	059511908695
1040252	5/8"	16"	059511041668	059511908695
1040262	3/4"	16"	059511041675	059511908695
1040272	1"	16"	059511041682	059511908695
1040282	6 pc Multipack	-	059511041699	-



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Black Oxide



PROFESSIONAL
Heavy-Duty

- ▶ Economical, general purpose bits for wood, composites, and soft metal
- ▶ Black oxide finish provides high durability, resists rust and corrosion
- ▶ Split point tip for easier start and less slippage
- ▶ Black oxide bits will outlast standard uncoated bits

Item #	Diameter	Length	UPC	Exchange UPC
1040702	5/64"	2"	059511041989	059511908695
1040712	3/32"	2 1/4"	059511041996	059511908695
1040722	7/64"	2 5/16"	059511042009	059511908695
1040722	7/64"	2 5/16"	059511042009	059511908695
1040732	1/8"	2 1/2"	059511042016	059511908695
1040742	9/64"	2 3/4"	059511042023	059511908695
1040752	5/32"	2 7/8"	059511042030	059511908695
1040762	11/64"	3"	059511042047	059511908695
1040772	3/16"	3 1/4"	059511042054	059511908695
1040782	7/32"	3 5/8"	059511042061	059511908695
1040792	1/4"	4"	059511042078	059511908695
1040802	9/32"	4"	059511042085	059511908695
1040812	5/16"	4 1/2"	059511042092	059511908695
1040822	11/32"	5"	059511042108	059511908695
1040832	3/8"	5"	059511042115	059511908695
1040842	13/32"	5 1/8"	059511042122	059511908695
1040852	7/16"	5 1/2"	059511042139	059511908695
1040862	15/32"	5 1/2"	059511042146	059511908695
1040872	1/2"	5 1/2"	059511042153	059511908695
1040882	9/16"	6 1/2"	059511042160	059511908695
1040892	5/8"	7"7"	059511042177	059511908695
1040902	11/16"	7 1/2"	059511042184	059511908695
1040912	3/4"	7 1/2"	059511042191	059511908695
1040922	14 pc Multipack	-	059511042450	-
1040932	21 pc Multipack	-	059511042467	-



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Cobalt



PROFESSIONAL
Heavy-Duty

- ▶ Cobalt bits are designed to drill hard metal such as stainless steel, cast iron, and steel
- ▶ High heat resistance means they will stay sharp longer when cutting metal
- ▶ 135 degree split point for fast, easy starts and more precise cutting
- ▶ Lasts 10 times longer than standard metal drill bits

Item #	Diameter	Length	UPC	Exchange UPC
1040302	5/64"	1 1/4"	059511041705	059511908695
1040312	3/32"	2 1/4"	059511041712	059511908695
1040322	7/64"	2 1/4"	059511041729	059511908695
1040332	1/8"	2 1/2"	059511041736	059511908695
1040342	9/64"	2 3/4"	059511041743	059511908695
1040352	5/32"	2 7/8"	059511041750	059511908695
1040362	11/64"	3"	059511041767	059511908695
1040372	3/16"	3 1/4"	059511041774	059511908695
1040382	7/32"	3 5/8"	059511041781	059511908695
1040392	1/4"	3 3/4"	059511041798	059511908695
1040402	5/16"	4 1/2"	059511041804	059511908695
1040412	3/8"	4 1/2"	059511041811	059511908695
1040422	7/16"	5 1/2"	059511041828	059511908695
1040432	1/2"	5 1/2"	059511041835	059511908695



PRO

PROFESSIONAL
Heavy-Duty

Titanium

- ▶ Best for wood, plastics & most soft metals
- ▶ Titanium nitride coating helps dissipate heat for longer life
- ▶ Split point tip for easier start and more precision drilling
- ▶ Aggressive flutes and titanium coating provide efficient chip removal
- ▶ Will outlast standard high speed steel bits

Item #	Diameter	Length	UPC	Exchange UPC
1040502	5/64"	1 1/4"	059511041842	059511908695
1040512	3/32"	2 1/4"	059511041859	059511908695
1040522	7/64"	2 5/16"	059511041866	059511908695
1040532	1/8"	2 1/2"	059511041873	059511908695
1040542	9/64"	2 3/4"	059511041880	059511908695
1040552	5/32"	2 7/8"	059511041897	059511908695
1040562	11/64"	3"	059511041903	059511908695
1040572	3/14"	3 1/16"	059511041910	059511908695
1040582	7/32"	3 5/8"	059511041927	059511908695
1040592	1/4"	4"	059511041934	059511908695
1040602	5/16"	4 1/2"	059511041941	059511908695
1040612	3/8"	5"	059511041958	059511908695
1040622	7/16"	5 1/2"	059511041965	059511908695
1040632	1/2"	6"	059511041972	059511908695
1040642			059511042474	14 Pc Multipack
1040652			059511042481	21 Pc Multipack



 WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Standard SDS 2 Carbide Cutters



PROFESSIONAL
Heavy-Duty

- ▶ Professional grade concrete and masonry drill bits with 2 carbide cutters
- ▶ Fits all SDS drive rotary hammers
- ▶ Carbide tipped heads are harder, tougher and more resistant to extreme loads for longer life
- ▶ Unique flute design accelerates dust removal and reduces wear
- ▶ 4" drilling depth, 6" overall, 10mm, open groove shank

Item #	Diameter	Length	UPC	Exchange UPC
3241002	5/32"	6"	059511007008	059511909500
3241012	3/16"	6"	059511007015	059511909517
3241022	1/4"	6"	059511007022	059511909524
3241032	5/16"	6"	059511007039	059511909531
3241042	3/8"	6"	059511007046	059511909548
3241052	1/2"	6"	059511007053	059511909555
3241062	1/4"	8"	059511007060	059511909562
3241072	5/8"	8"	059511007077	059511909579
3241082	3/4"	8"	059511007084	059511909586
3241092	3/8"	12"	059511007091	059511909593
3241102	1/2"	12"	059511007107	059511909609
3241112	5/8"	12"	059511007114	059511909616
3241122	7/8"	12"	059511007121	059511909623
3241132	5/32"	8"	059511007138	059511909630
3241142	1/2"	10"	059511007145	059511909647
3241152	3/4"	10"	059511007152	059511909654
3241162	1 1/2"	10"	059511007169	059511909661
3241172	3/16"	8"	059511007176	059511909678





Black Granite

- ▶ Diamond ground carbide tip for precision starts in hard materials such as granite, concrete, stone, masonry, and tile
- ▶ Deep cut spiral u-flutes designed for fast dust removal
- ▶ Extreme duty industrial quality
- ▶ For best results use with rotary hammer drill

Item #	Diameter	Length	UPC	Exchange UPC
3243022	5/32"	6"	059511007725	059511910025
3243032	3/16"	6"	059511007732	059511910025
3243042	1/4"	6"	059511007749	059511910025
3243052	5/16"	6"	059511007756	059511910025
3243062	3/8"	6"	059511007763	059511910025
3243082	1/2"	6"	059511007787	059511910025
3243092	5/8"	6"	059511007794	059511910094
3243112	1/4"	12"	059511007817	059511910117
3243122	5/16"	12"	059511007824	059511910124
3243132	3/8"	12"	059511007831	059511910131
3243142	1/2"	12"	059511007848	059511910148
3243152	5/8"	12"	059511007855	059511910155





INDUSTRIAL
Extreme-Duty

SDS Max 4 Carbide Cutters

- ▶ 4 carbide cutters for faster, smoother drilling
- ▶ Flutes designed for enhanced dust extraction
- ▶ Universal SDS Max shank
- ▶ Increased performance, more efficient cutting with less heat

Item #	Diameter	Length	UPC	Exchange UPC
3244202	1/2"	13"	059511005165	059511910346
3244212	5/8"	13"	059511005172	059511910346
3244222	3/4"	13"	059511005189	059511910346
3244232	7/8"	13"	059511005196	059511910346
3244242	1"	13"	059511005202	059511910346
3244252	1 1/8"	13"	059511005219	059511910346
3244262	1 1/4"	13"	059511005226	059511910346
3244272	1/2"	21"	059511005233	059511910346
3244282	5/8"	21"	059511005240	059511910346
3244292	3/4"	21"	059511005257	059511910346
3244302	7/8"	21"	059511005264	059511910346
3244312	1 1/8"	21"	059511005271	059511910346
3244322	1 1/4"	21"	059511005288	059511910346
3244332	1 1/2"	21"	059511005295	059511910346



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.



INDUSTRIAL
Extreme-Duty

SDS Plus Solid Carbide Head

- ▶ Unique 3 cutter solid carbide tip design and patented welding process provides extended life of the bit
- ▶ Flute design enhances dust extraction by up to 25%
- ▶ High temperature welding process binds the cutting tip and flute, protecting performance when rebar is encountered
- ▶ Universal SDS Plus shank

Item #	Diameter	Length	UPC	Exchange UPC
3245002	5/32"	6 3/4"	059511008128	059511910346
3245012	3/16"	6 3/4"	059511008135	059511910346
3245022	1/4"	6 3/4"	059511008142	059511910346
3245032	5/16"	6 3/4"	059511008159	059511910346
3245042	3/8"	6 3/4"	059511008166	059511910346
3245052	1/2"	6 3/4"	059511008173	059511910346
3245062	3/16"	10 3/4"	059511008210	059511910346
3245102	3/8"	12 3/4"	059511008180	059511910346
3245112	1/2"	12 3/4"	059511008197	059511910346
3245122	5/8"	12 3/4"	059511008203	059511910346
3245132	3/16"	12 3/4"	059511008227	059511910346
3245202	5/32"	8 3/4"	059511008234	059511910346
3245212	3/16"	8 3/4"	059511008241	059511910346
3245222	1/4"	8 3/4"	059511008258	059511910346
3245232	5/8"	8 3/4"	059511008265	059511910346
3245242	3/4"	8 3/4"	059511008272	059511910346



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

SDS Plus QUAD 4 Carbide Cutters

- ▶ 4 carbide cutters for faster, smoother drilling in concrete, stone and masonry
- ▶ Enhanced flutes for faster dust extraction
- ▶ Universal SDS Plus shank
- ▶ Increased performance and more efficient cutting with less heat
- ▶ Smoother drilling and improved obstruction handling



Item #	Diameter	Length	UPC	Exchange UPC
3244002	5/32"	6"	059511008005	059511910346
3244012	3/16"	6"	059511008012	059511910346
3244022	1/4"	6"	059511008029	059511910346
3244032	5/16"	6"	059511008036	059511910346
3244042	3/8"	6"	059511008043	059511910346
3244052	1/2"	6"	059511008050	059511910346
3244062	5/32"	8"	059511008104	059511910346
3244072	3/16"	8"	059511008111	059511910346
3244092	3/8"	12"	059511008067	059511910346
3244102	1/2"	12"	059511008074	059511910346
3244112	5/8"	12"	059511008081	059511910346
3244122	7/8"	12"	059511008098	059511910346



Multi-Material

- ▶ Designed for multi-purpose drilling in wood, metal, masonry and concrete
- ▶ Flute designed for fast and efficient debris removal while drilling
- ▶ Carbide tipped for extended durability
- ▶ Centering tip for easier starting and precise drilling



Item #	Diameter	UPC	Exchange UPC
1040002	1/8"	059511041422	059511908695
1040012	5/32"	059511041439	059511908695
1040022	3/16"	059511041446	059511908695
1040032	1/4"	059511041453	059511908695
1040042	5/16"	059511041460	059511908695
1040052	3/8"	059511041477	059511908695
1040062	7/16"	059511041484	059511908695
1040072	1/2"	059511041491	059511908695
1040082	6"	059511041507	5 Pc Multipack



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Countersink

- ▶ Tapered bit drills pilot holes plus countersink for screws and counterbore for wood plugs
- ▶ Two set screws allow the cutters to be adjusted up and down the shaft to control the depth of your pilot hole
- ▶ Four cutter design cuts and clears chips quicker for smooth and fast drilling
- ▶ 1/4" quick change shank reduces slipping

Item #	Diameter	UPC	Exchange UPC
1041202	9/64"	059511042320	059511908695
1041212	11/64"	059511042337	059511908695
1041222	3/16"	059511042344	059511908695
1041232	7/32"	059511042351	059511908695
1041242	9/64", 11/64", 3/16"	059511042368	3 pc Multipack



PROFESSIONAL
Heavy-Duty

Glass & Tile

- ▶ Precision tip eliminates bit wander for quick starts
- ▶ High quality carbide tip with reinforced head
- ▶ Innovative geometry allows for faster drilling
- ▶ Ideal for glass and ceramic tile

Item #	Diameter	UPC	Exchange UPC
1041302	5/32"	059511042375	059511908695
1041312	1/8"	059511042382	059511908695
1041322	3/16"	059511042399	059511908695
1041332	1/4"	059511042405	059511908695
1041342	5/16"	059511042412	059511908695
1041362	1/2"	059511042436	059511908695
1041372	3/16", 1/4", 5/16"	059511042443	3 Pc Multipack



PROFESSIONAL
Heavy-Duty

Step

- ▶ Single straight cutting edge enhances control and provides a clean finish
- ▶ Etched hole size markings for accuracy
- ▶ Titanium coating keeps cutting edge sharp
- ▶ 1/4" hex shank
- ▶ Easy sharpening

Item #	UPC	Exchange UPC
1041602	059511005400	059511908695
1041612	059511005417	059511908695
1041622	059511005424	059511908695



PROFESSIONAL
Heavy-Duty

WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Router bits for the perfect job

EVERY TIME

ROUTER BITS

CHOOSE FROM A VARIETY OF ROUTER BITS AT THE RIGHT PRICE TO MAKE PROFESSIONAL TRIMS, GROOVES, AND DECORATIVE EDGES.



PRO

STRAIGHT

Ideal for smooth, clean, and general-purpose routing, grooving, and rabbeting



PRO

TRIM

For smooth, fast, and accurate flush and bevel trimming of laminates and veneers



PRO

DECORATIVE

Use these double-fluted bits for decorative, classic profiles on furniture, cabinetry, mouldings, trim, and general edging

 **WARNING:** Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Straight

- ▶ Ideal for smooth, clean and general purpose routing, grooving, and rabbeting
- ▶ These bits give a smooth planed finish at a medium feed rate
- ▶ These are the workhorses of the routing world; used for most applications requiring a flat smooth bottom
- ▶ C3 micrograin carbide tips, precision sharpened to stay sharper longer

PRO

PROFESSIONAL
Heavy-Duty

Item #	Diameter	Length	Shank	Description	UPC	Exchange UPC
2100052	6"	3/8"	1/4"	Straight	059511061000	059511904406
2101072	1/4"	3/4"	1/4"	Straight	059511061017	059511904413
2101082	5/16"	1"	1/4"	Straight	059511061161	059511904420
2101092	3/8"	1"	1/4"	Straight	059511061024	059511904437
2101112	1/2"	1"	1/4"	Straight	059511061031	059511904451
2101132	5/8"	1"	1/4"	Straight	059511061048	059511904475
2101152	3/4"	1"	1/4"	Straight	059511061055	059511904499
2111032	1/2"	1 1/4"	1/2"	Straight	059511063035	059511904826
2111042	5/8"	1 1/4"	1/2"	Straight	059511063042	059511904833
2111052	3/4"	1 1/4"	1/2"	Straight	059511063059	059511904840
2102112	1/2"	1/2"	1/4"	Straight Dovetail	059511061093	059511904512
2110432	1/2"	3/4"	1/4"	Straight Hinge Mortis	059511061420	059511904987
2110102	3/8"	1/8"	1/4"	Straight Keyhole	059511061352	059511904758
2103072	1/4"	3/4"	1/4"	Straight Panel Pilot	059511061062	059511904529
2103092	3/8"	1"	1/4"	Straight Panel Pilot	059511061215	059511904536
2111062	1/2"	1 1/4"	1/2"	Straight Panel Pilot	059511063066	059511904857
2113072	1 1/4"	1/4"	1/4"	Straight Rabbeting	059511061291	059511904666
2113092	1 1/4"	3/8"	1/4"	Straight Rabbeting	059511061307	059511904673
2106202	1 7/8"	3/32"	1/4"	Straight Slot Cutter	059511061321	059511904703
2110112	1 7/8"	5/32"	1/4"	Trim Beve	059511061369	059511904765



Trim



- ▶ For smooth bevel trimming of laminates
- ▶ Complete with a fully enclosed ball bearing guide
- ▶ C3 micrograin carbide tips, precision sharpened to stay sharper longer

Item #	Diameter	Length	Shank	Description	UPC	Exchange UPC
2105092	1/2"	3/8"	1/4"	Trim Bevel	059511061239	059511904567
2108452	1"	3/8"	1/4"	Trim Chamfer	059511061147	059511904727
2104112	1/2"	1 1/4"	1/4"	Trim Flush	059511061079	059511904543
2104122	1/2"	1/2"	1/4"	Trim Flush	059511061222	059511904550
2110172	1/2"	3/4"	1/4"	Trim Flush	059511061390	059511909807
2111222	1/2"	1 1/4"	1/2"	Trim Flush	059511061390	059511909807



Decorative



- ▶ Use these double fluted bits for a decorative, classic profile on furniture, cabinetry molding trim, and general edging
- ▶ These bits provide an upward shear angle for smooth more efficient cutting

Item #	Diameter	Length	Shank	Description	UPC	Exchange UPC
2102072	1 1/4"	1/2"	1/4"	Decorative Beading	059511061109	059511904635
2102082	1 1/2"	3/4"	1/4"	Decorative Beading	059511061284	059511904659
2102092	1 1/4"	5/8"	1/4"	Decorative Beading	059511061277	059511904642
2107112	1/2"	3/8"	1/4"	Decorative Core Box	059511061086	059511904710
2100072	1"	1/2"	1/4"	Decorative Corner Round	059511061116	059511904574
2100092	1 1/4"	5/8"	1/4"	Decorative Corner Round	059511061123	059511904581
2100112	1 1/2"	3/4"	1/4"	Decorative Corner Round	059511061130	059511904598
2110182	3/4"	1/2"	1/4"	Decorative Corner Round	059511061406	059511909814
2111082	1 1/2"	3/4"	1/2"	Decorative Corner Round	059511063073	059511904864
2111072	7/8"	1/2"	1/4"	Decorative Cove	059511061246	059511904604
2111092	1 1/8"	1/2"	1/4"	Decorative Cove	059511061253	059511904611
2111112	1 3/8"	5/8"	1/4"	Decorative Cove	059511061260	059511904628
2110162	1 1/2"	3/4"	1/4"	Decorative Double Roman Ogee	059511061413	059511904789
2104212	1 3/8"	2 1/32"	1/4"	Decorative Roman Ogee	059511061314	059511904680
2104222	1"	1/2"	1/4"	Decorative Roman Ogee	059511061154	059511904697
2110122	7/8"	1"	1/4"	Decorative Triple Bead	059511061376	059511904772
2110062	1/2"	7/16"	1/4"	Decorative Vee Groove	059511061383	059511904390
2110072	1"	3/4"	1/4"	Decorative Vee Groove	059511061338	059511904734



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.



STAY SHARP
by EAB

**Framing
Charpente
Construcción**

 Positive hook angle for fast easy cutting.
Angle d'attaque positif pour une coupe rapide et facile.
Angulo de ataque positivo para un corte rápido y fácil.

5 3/8" | 24 TEETH DENTS DIENTES

GREEN BLADE

Chromium Free Manufacture
Innovative Carbide
Fabricated with Chromium
Copper and Nickel
Manufactured in China
Customer Network

 **GENERAL & DIY QUALITY**
QUALITÉ GÉNÉRALE & BRICOLAGE
CALIDAD GENERAL Y HAZLO TÚ

8800 HALLSHIP © 5/18



SAW BLADES

The perfect cut
EVERY TIME

CHOOSE STAY SHARP FOR EXCELLENT QUALITY FOR EVERYDAY USE.



GEN

FRAMING

Designed for cross-cutting and ripping on heavy to medium-duty projects



GEN IND

FINISHING


Designed for finished cuts across multiple materials



GEN

ALL PURPOSE

All-purpose blades perform both cross-cutting and ripping

 WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Carbide PRO

- ▶ Economically priced, non-exchangeable line of carbide recyclable saw blades designed for the DIYer
- ▶ Available in both general purpose cutting and finishing

Item #	Diameter	Teeth	Arbor	UPC
2110201	7 1/4"	24	5/8" DKO	059511010046
2110710	5 3/8"	24	10mm	059511110432
2110711	6 1/2"	24	5/8" DKO	059511110449
2110712	7 1/4"	24	5/8" DKO	059511110456
2110714	8 1/4"	24	8 1/4"	059511110470
2110716	10"	28	5/8"	059511110494
2110310	7 1/4"	24	5/8" DKO	059511110326



Finishing

- ▶ Non-exchangeable, value priced carbide finishing recyclable saw blade
- ▶ Designed for light cutting of panelling, plywood, veneer and some plastic materials
- ▶ Hard body, expansion slots and complete sharpening
- ▶ C2 carbide teeth

Item #	Diameter	Teeth	Arbor	UPC
2111362	7 1/4"	40	5/8" DKO	059511111361
2111632	8 1/4"	40	5/8" DKO	059511110630
2111802	10"	40	5/8"	059511111804
2111862	10"	60	5/8"	059511111866
2110713	7 1/4"	40	5/8" DKO	059511110463
2110715	8 1/4"	40	5/8" DKO	059511110487
2110717	10"	40	5/8"	059511110500
2110718	10"	60	5/8"	059511110517
2111932	10"	60	5/8"	059511112856
2110650	4 1/2"	40	7/8" - 5/8"	059511110609



All Purpose Combination

- ▶ Non-exchangeable recyclable saw blade, ideal for light duty framing, decking and general purpose ripping and crosscutting of wood and composite materials
- ▶ Hard body, expansion slots and complete sharpening
- ▶ C2 carbide teeth



GENERAL
Light Contractor
& DIY

Item #	Diameter	Teeth	Arbor	UPC
2110262	7 1/4"	20	5/8" DKO	059511110265
2110622	8 1/4"	24	5/8" DKO	059511110623
2110802	10"	28	5/8"	059511110807





DIAMOND BLADES

High Performance

EVERY TIME

DIAMOND BLADES CAN BE USED FOR WET OR DRY CUTTING HOWEVER WET CUTTING IS RECOMMENDED AND WILL EXTEND THE LIFE OF THE BLADE



GEN

SEGMENTED RIM

The fastest cutting diamond blade configuration to cut concrete, brick, block, pavers, and metal



GEN IND

TURBO RIM

Cuts concrete, brick, block, pavers, stucco, slate, terrazzo, marble, and fibre cement



GEN

CONTINUOUS RIM

Cuts porcelain tile, stucco, ceramic, slate, terrazzo, marble, and glass



GEN

SPECIALTY DIAMOND ACCESSORIES

For grinding, polishing & maintaining concrete, brick, and block surfaces, and for restoring mortar joints

 **WARNING:** Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Segmented Rim

- ▶ Segmented diamond blades designed for the high production cutting of cured concrete, stone, masonry, brick, and block
- ▶ The diamond blades in this category can be used for wet or dry cutting however wet cutting is recommended and will extend the life of the blade
- ▶ When cutting concrete with rebar, blade life will be shortened considerably



GENERAL
Light Contractor
& DIY

Item #	Diameter	Description	Arbor	RPM	UPC
2118014	5"	Bronze Series - Bulk	7/8" - 5/8"	12200	059511119855
2118042	14"	Bronze Series - Bulk	1" - 20mm	4400	059511119893
2118102	12"	Bronze Series - Bulk	1" - 20mm	5100	059511119886
2118104	14"	Bronze Series - Bulk	1" - 20mm	4400	059511119893
2118252	10"	Bronze Series - Bulk	5/8" - 1"	6100	059511119916
2118412	4 1/2"	Bronze Series - Bulk	7/8" - 5/8"	13200	059511119848
2118422	4"	Bronze Series - Bulk	7/8" - 5/8"	15000	059511119831
2118812	4 1/2"	Bronze Series - Packaged	7/8" - 5/8"	13200	059511120028
2118814	5"	Bronze Series - Packaged	7/8" - 5/8"	12200	059511120035
2118822	4"	Bronze Series - Packaged	7/8" - 5/8"	15000	059511120011
2118852	7"	Bronze Series - Packaged	5/8" DKO	8450	059511120042
2118862	10"	Bronze Series - Packaged	5/8"	6100	059511120059
2118882	12"	Bronze Series - Packaged	1" - 20mm	5100	059511120066
2118890	14"	Bronze Series - Packaged	1" - 20mm	4400	059511120189



Turbo Rim



GENERAL
Light Contractor
& DIY

- ▶ Turbo diamond blades provide slightly smoother cuts in cured concrete, stone, masonry, brick, block, stucco, and fiber cement products
- ▶ The Turbo segment is designed not to catch and tear mesh while cutting stucco
- ▶ Can be used with circular saw or angle grinder

Item #	Diameter	Description	Arbor	RPM	UPC
2118002	4"	Bronze Series - Bulk	7/8" - 5/8"	15000	059511119664
2118012	5"	Bronze Series - Bulk	7/8" - 5/8"	12200	059511119688
2118032	7"	Bronze Series - Bulk	5/8" DKO	8450	059511119763
2118092	10"	Bronze Series - Bulk	5/8" - 1"	6100	059511119930
2118402	4 1/2"	Bronze Series - Bulk	7/8" - 5/8"	13200	059511119671
2118802	4"	Bronze Series - Packaged	7/8" - 5/8"	15000	059511120073
2118832	4 1/2"	Bronze Series - Packaged	7/8" - 5/8"	13200	059511120080
2118883	5"	Bronze Series - Packaged	7/8" - 5/8"	12200	059511120097
2118892	7"	Bronze Series - Packaged	7/8" - 5/8" DKO	8450	059511120103
2118894	10"	Bronze Series - Packaged	5/8"	6100	059511120110
2130212	4"	Yellow Series - Bulk	7/8" - 5/8"	15000	059511130201
2130222	4 1/2"	Yellow Series - Bulk	7/8" - 5/8"	13200	059511130218
2130232	7"	Yellow Series - Bulk	7/8" - 5/8" DKO	8450	059511130225



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Continuous Rim



- ▶ Continuous rim diamond blades specifically designed to cut tile and marble; provide smooth cuts on floor and wall tile, marble, slate, granite tops, etc.
- ▶ NOTE: a special blade should be used for hard porcelain

Item #	Diameter	Description	Arbor	RPM	Material Usage	UPC
2118212	3 3/8"	Bronze Series - Bulk	15mm	15000	Ceramic Tile	059511119879
2118222	4"	Bronze Series - Bulk	7/8" - 5/8"	15000	Ceramic Tile	059511119947
2118232	7"	Bronze Series - Bulk	5/8" DKO	8450	Ceramic Tile	059511119961
2118242	4 1/2"	Bronze Series - Bulk	7/8" - 5/8"	13200	Ceramic Tile	059511119954
2118282	8"	Bronze Series - Bulk	5/8" DKO	8000	Ceramic Tile	059511119978
2118851	3 3/8"	Bronze Series - Bulk	15mm	15000	Ceramic Tile	059511120172
2118853	4"	Bronze Series - Packaged	7/8" - 5/8"	15000	Ceramic Tile	059511120127
2118854	4 1/2"	Bronze Series - Packaged	7/8" - 5/8"	13200	Ceramic Tile	059511120134
2118855	7"	Bronze Series - Packaged	7/8" - 5/8" DKO	8450	Ceramic Tile	059511120141
2118856	8"	Bronze Series - Packaged	5/8" DKO	8000	Ceramic Tile	059511120158
2118857	10"	Bronze Series - Packaged	5/8"	6100	Ceramic Tile	059511120165
2118901	4 1/2"	Bronze Series - Packaged	7/8" - 5/8"	13200	Glass	059511118988
2118903	7"	Bronze Series - Packaged	5/8" DKO	8450	Glass	059511118995
2120312	4 1/2"	Bronze Series - Packaged	7/8" - 5/8"	13200	Porcelain Tile	059511130034
2120322	4"	Bronze Series - Packaged	7/8" - 5/8"	15000	Porcelain Tile	059511130003
2120332	7"	Bronze Series - Packaged	7/8" - 5/8" DKO	8450	Porcelain Tile	059511130010
2120392	10"	Bronze Series - Packaged	5/8"	6100	Porcelain Tile	059511130027
2130312	4"	Yellow Series - Bulk	7/8" - 5/8"	15000	Ceramic Tile	059511130300
2130322	4 1/2"	Yellow Series - Bulk	7/8" - 5/8"	13200	Ceramic Tile	059511130317
2130332	7"	Yellow Series - Bulk	7/8" - 5/8" DKO	8450	Ceramic Tile	059511130324
2130342	8"	Yellow Series - Bulk	5/8" DKO	8000	Ceramic Tile	059511130331
2130352	10"	Yellow Series - Bulk	5/8"	6100	Ceramic Tile	059511130348



Specialty Cup Wheel

- ▶ For grinding and polishing concrete, masonry, and stone surfaces
- ▶ The diamond blades in this category can be used for wet or dry cutting however wet cutting is recommended and will extend the life of the blade
- ▶ Faster grinding and longer life than standard abrasive wheels
- ▶ Fits any angle grinder with 5/8" - 11 mm threaded arbor

Item #	Diameter	Arbor	RPM	UPC
2118805	4 1/2"	5/8" - 11mm Threaded	13200	059511129984
2118806	5"	5/8" - 11mm Threaded	12200	059511129991



GENERAL
Light Contractor
& DIY




Ease of Use

EVERY TIME



HOLE SAWS

 WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

VALUE PRICED AND AVAILABLE IN DIFFERENT SIZES



PRO

BIMETAL M2

Bimetal hole saws cut perfect holes in wood, plastics, ferrous (stainless steel, steel, cast iron) and non-ferrous metals (copper, and aluminum)



IND

BIMETAL M3

Door lock installation kit



GEN PRO

DIAMOND GRIT

Cuts perfect holes in ceramic and porcelain tile, granite, marble, glass, and fiber cement



GEN PRO IND

MANDRELS

Required for all hole saws

WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

M2

PRO

PROFESSIONAL
Heavy-Duty

- ▶ These professional grade, M2 bimetal hole saws cut wood, plastics, ferrous, and non-ferrous metal
- ▶ Value priced and available in sizes from 3/4" to 6"
- ▶ Deep 1 3/8" cut with 3/16" heavy duty backing plate adds strength & stability and prevents mandrel run-out
- ▶ Tested to over 70 cuts in 3/16" plate steel versus competitors 10 to 50 cuts

Item #	Diameter	UPC
2057482	3/4"	059511120400
2057512	7/8"	059511120417
2057562	1"	059511120202
2057592	1 1/8"	059511120424
2057622	1 1/4"	059511120219
2057632	1 3/8"	059511120431
2057652	1 1/2"	059511120226
2057662	1 3/4"	059511120233
2057682	1 7/8"	059511120448
2057702	2"	059511120240
2057732	2 1/8"	059511120264
2057742	2 1/4"	059511120257
2057752	2 1/2"	059511120271
2057762	2 3/8"	059511120455
2057772	2 3/4"	059511120462
2057792	3"	059511120288
2057802	3 1/4"	059511120479
2057822	3 1/2"	059511120295
2057832	3 3/4"	059511120486
2057842	4 1/8"	059511120493
2057852	4"	059511120301
2057862	4 1/4"	059511120509
2057882	4 1/2"	059511120318
2057902	5"	059511120516
2057912	5 1/2"	059511120523
2057932	6"	059511120530



Door Lock Installation Kits



INDUSTRIAL
Extreme-Duty

- ▶ Everything you need to install most standard door locks in three easy steps
- ▶ Kits include easy guide template, 2 hole saws (1" and 2 1/8"), mandrel and adapter
- ▶ Suitable for door sizes 1 3/8" & 1 3/4"
- ▶ Suitable for back set sizes 2 3/8" & 2 3/4"
- ▶ Cutting depth 1 5/8"

Item #	Diameter	Usage	UPC
1054312	2 1/8" & 1"	HCS - Wood Doors	059511054231
1054302	2 1/8" & 1"	M3 - Wood/Metal Doors	059511054224



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Diamond Grit

- ▶ Drill clean, accurate holes in ceramic & porcelain tile, marble, glass, fiberglass, terrazzo, and fiber cement
- ▶ For use with handheld or stationary drills
- ▶ Must be used with water



Item #	Diameter	UPC
2055000	1/4"	059511118803
2055001	3/8"	059511118810
2055002	1/2"	059511118827
2055003	3/4"	059511118834
2055004	1"	059511118841
2055005	1 1/4"	059511118858
2055006	1 3/8"	059511118865
2055007	1 1/2"	059511118872
2055008	2"	059511118889
2055009	2 1/2"	059511118896



Diamond Grit

Item #	Diameter	UPC
2056400	3/16"	059511120851
2056401	1/4"	059511120868
2056402	9/32"	059511120875
2056403	5/16"	059511120882
2056404	3/8"	059511120899
2056472	1/2"	059511119787
2056482	3/4"	059511119794
2056562	1"	059511119800
2056582	1 1/4"	059511119770
2056622	1 3/8"	059511120332
2056652	1 1/2"	059511119817
2056702	2"	059511119824
2056742	2 1/2"	059511120363
2056812	3 3/8"	059511120196
2056822	3 5/8"	059511120349
2056872	4 3/8"	059511120325



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Mandrels & Accessories



GENERAL
Light Contractor
& DIY

- ▶ The quick change 3/8" hex mandrel for a 3/8" drill, and is used for hole saw sizes 1 1/4" to 7 7/8"
- ▶ All mandrels come complete with a high-speed 1/4" pilot drill and are fully heat treated for long, trouble free life
- ▶ A mandrel is required for all hole saws
- ▶ Worn pilot drills are easily replaced
- ▶ Rubber o-ring secures hole saw to mandrel. For a tighter fit and no vibration

Item #	Shank	Description	UPC
1054242	3/8"	Quick Change Mandrel	059511054422
1054492	7/16"	Quick Change Mandrel	059511054439
1054642	3/8"	Round Mandrel	059511054453
1054192	3/8"	Hex Shank Mandrel	059511054064
1054212	1/4"	Hex Shank Mandrel	059511054071
1054442	SDS	SDS Mandrel	059511054101
1054452	SDS	SDS Mandrel - Spring Loaded	059511054118
1054222	3/8"	Spring Loaded Mandrel	059511054088
1054232	7/16"	Spring Loaded Mandrel	059511054095
1054292	3/8" & 7/16"	Accessory Extension	059511054217
1054202	3/8"	Hex Shank Mandrel	059511054200
1054132	1/4"	Mandrel Adapter	059511054132
2056882	1/4"	Pilot Drill (Carbide)	059511120356
1054162	1/4"	Pilot Drill (Long)	059511054125
1054142	1/4"	Pilot Drill (Short)	059511054149
1054252	3/8"	Plug-out Mandrel	059511054170
1054262	7/16"	Plug-out Mandrel	059511054187
1054272	7/16"	Quick Change Mandrel	059511054279
1054282	3/8"	Quick Change Mandrel	059511054163
1054152	1/4"	Round Mandrel	059511054156
1055152	1/4"	Round Mandrel	059511055207



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.


Smooth, clean cuts

EVERY TIME



RECIP & JIGSAW BLADES

NO MATTER THE MATERIALS YOU'RE CUTTING, WE HAVE THE RIGHT RECIPROCATING BLADE AND JIGSAW BLADE AT THE RIGHT PRICE.



DEMOLITION

Used in demolition work to cut wood, light metal, composites, fiber cement and nail embedded wood. Grit edge blades cut tile, marble, and fiber cement products



WOOD

Blades designed for cutting wood, plywood, sheet metal, and pruning. Not recommended for wood with nails



METAL

Blades designed for cutting ferrous and non-ferrous metal



T-SHANK

Cuts wood, composites, metals, and plastics



U-SHANK

Cuts wood, composites, metals, and plastics

⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.



INDUSTRIAL
Extreme-Duty

Demoliton

- ▶ Industrial grade exchangeable reciprocating saw blades made from high speed steel with bimetal teeth for extended heavy duty cutting
- ▶ Available in all sizes up to 12", fits all popular tools
- ▶ Ideal for cutting wood, metal, plastics, and general demolition work

Item #	Length	Teeth	Material	Application	UPC
171207	9"	10/14 tpi	Bimetal	Demoliton Fire and Rescue	059511171662
171060	8"	Carbide Grit	Metal	Demolition Grit Edge	059511172348
171204	6"	Carbide Grit	Metal	Demolition Grit Edge	059511171204
171056	6"	8/10 tpi	Bimetal	Metal Demolition	059511171976
171063	12"	8/10 tpi	Bimetal	Metal Demolition	059511172379
171228	9"	10/14 tpi	Bimetal	Metal Demolition	059511171228
171235	6"	6 tpi	Bimetal	Demolition Wood with Nails	059511171235
171242	9"	6 tpi	Bimetal	Demolition Wood with Nails	059511171242
171266	12"	6 tpi	Bimetal	Demolition Wood with Nails	059511171266



Wood & Metal

- ▶ Industrial grade exchangeable reciprocating saw blades made from high speed steel with bimetal teeth for extended heavy duty cutting
- ▶ Available in all sizes up to 12", fits all popular tools
- ▶ Ideal for cutting all types of wood products, plastics, composites, and light gauge metal

Item #	Length	Teeth	Material	Application	UPC
171143	9"	6 tpi	Bimetal	Wood Rough Cut	059511171143
171150	12"	6 tpi	Bimetal	Wood Rough Cut	059511171150
171113	9"	5 tpi	HCS	Wood Pruning	059511171655
171167	12"	3 tpi	HCS	Wood Rough Cut	059511171167
171198	8"	10/14 tpi	Bimetal	Metal Rough Cut	059511171198
171211	12"	10/14 tpi	Bimetal	Metal Rough Cut	059511171211



INDUSTRIAL
Extreme-Duty

Wood & Metal



PRO
PROFESSIONAL
Heavy-Duty

- ▶ Professional grade exchangeable reciprocating saw blades made from high speed steel with bimetal teeth for extended heavy duty cutting
- ▶ Available in all sizes up to 12", fits all popular tools
- ▶ Ideal for cutting all types of wood products, plastics, composites, and light gauge metal

Item #	Length	Teeth	Material	Application	Pack	UPC
161136	6"	6 tpi	Bimetal	Wood Rough Cut	1 pc	059511161137
161143	9"	6 tpi	Bimetal	Wood Rough Cut	1 pc	059511161144
161150	12"	6 tpi	Bimetal	Wood Rough Cut	1 pc	059511161151
161167	12"	3 tpi	Bimetal	Wood Rough Cut	1 pc	059511161168
161135	6"	6 tpi	Bimetal	Wood Rough Cut	5 pc	059511006889
161145	9"	6 tpi	Bimetal	Wood Rough Cut	5 pc	059511006919
161155	12"	6 tpi	Bimetal	Wood Rough Cut	5 pc	059511006926
161165	12"	3 tpi	Bimetal	Metal Rough Cut	5 pc	059511006902



Metal



IND
INDUSTRIAL
Extreme-Duty

- ▶ Industrial grade exchangeable reciprocating saw blades made from high speed steel with bimetal teeth for extended heavy duty cutting
- ▶ Available in all sizes up to 12", fits all popular tools
- ▶ Ideal for cutting ferrous and non-ferrous metal products

Item #	Length	Teeth	Material	Application	UPC
171055	6"	10 tpi	Bimetal	Metal Rough Cut	059511171969
171057	6"	24 tpi	Bimetal	Metal Fine Cut	059511171983
171059	8"	18 tpi	Bimetal	Metal Fine Cut	059511172331
171062	9"	10 tpi	Bimetal	Metal Rough Cut	059511172362
171064	12"	18 tpi	Bimetal	Metal Fine Cut	059511172386
171174	6"	14 tpi	Bimetal	Metal Rough Cut	059511171174
171181	6"	18 tpi	Bimetal	Metal Fine Cut	059511171181



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

U-Shank

- ▶ Universal shank fits most tools



INDUSTRIAL
Extreme-Duty

Item #	Length	Description	Teeth	Material	Pack	UPC
171033	4"	Reverse Tooth Blade	10 tpi	Bimetal	2 pc	059511170986
171037	3 5/8"		6 tpi	Bimetal	2 pc	059511171037
171549	4"		10 tpi	Bimetal	2 pc	059511171587
171518	3 5/8"		8 tpi	HCS	2 pc	059511171518
171525	4"		5/6 tpi	HCS	2 pc	059511171532
171556	2 3/4"		13 tpi	HCS	2 pc	059511171556
171563	3 1/4"		10/12 tpi	HSS	2 pc	059511171563
171570	3 1/4"		18/24 tpi	HSS	2 pc	059511171570



T-Shank

- ▶ Bimetal teeth designed for smooth, clean cuts
- ▶ T-shank to fit Bosch tools



INDUSTRIAL
Extreme-Duty

Item #	Length	Description	Teeth	Material	Pack	UPC
171035	4"	Reverse Tooth Blade	10 tpi	Bimetal	2 pc	059511170993
171303	4"		10 tpi	Bimetal	2 pc	059511171303
171341	3 5/8"		14/18 tpi	Bimetal	2 pc	059511171341
171273	4"		8 tpi	HCS	2 pc	059511171273
171280	4"		5/6 tpi	HCS	2 pc	059511171280
171297	4"		5/6 tpi	HCS	2 pc	059511171297
171310	3 1/4"		13 tpi	HCS	2 pc	059511171310
171327	3 5/8"		11/13 tpi	HSS	2 pc	059511171327
171334	3 5/8"		17/23 tpi	HSS	2 pc	059511171334







ABRASIVES

The Perfect Accessories
for Cutting and Grinding

EVERY TIME

Metal Cutting



INDUSTRIAL
Extreme-Duty

- ▶ Designed for steel & stainless steel
- ▶ Fastest cutting, longest lasting recyclable abrasive wheel
- ▶ For cutting operations only, taper design prevents binding
- ▶ Has a wide aluminum flange around the arbor hole for added strength

Item #	Diameter	Description	Thickness	Arbor	Pack	UPC
2142112	4 1/2"	Taper Cut Type 1	5/64"	7/8"	10 pc	059511141504
2142122	5"	Taper Cut Type 1	5/64"	7/8"	1 pc	059511141511
2142142	4 1/2"	Flat Cut Type 1	3/64"	7/8"	1 pc	059511141559
2143143	4 1/2"	XLock Type 1	3/64"	7/8"	1 pc	059511141757
2143153	5"	XLock Type 1	3/64"	7/8"	1 pc	059511141764
2142152	5"	All Purpose Type 1	3/64"	7/8"	10 pc	059511141566
2140402	4"	Ultra Thin Type 1	3/64"	5/8"	1 pc	059511140309
2140412	4 1/2"	Ultra Thin Type 1	3/64"	7/8"	1 pc	059511140316
2140422	5"	Ultra Thin Type 1	3/64"	7/8"	1 pc	059511140323
2140432	7"	Ultra Thin Type 1	1/16"	5/8"	1 pc	059511140330
2140442	7"	Ultra Thin Type 1	1/16"	7/8"	1 pc	059511140347
2142162	4 1/2"	Ultra Thin Type 1	3/64"	7/8"	25 pc	059511141719
2142172	5"	Ultra Thin Type 1	3/64"	7/8"	25 pc	059511141726
2160302	4"	Ultra Thin Type 27	3/64"	5/8"	1 pc	059511160192
2160312	4 1/2"	Ultra Thin Type 27	3/64"	7/8"	1 pc	059511160208
2160322	5"	Ultra Thin Type 27	3/64"	7/8"	1 pc	059511160215
2160342	7"	Ultra Thin Type 27	1/16"	7/8"	1 pc	059511160239



PRO

PROFESSIONAL
Heavy-Duty

Metal Cutting

- ▶ Designed for steel & stainless steel
- ▶ Fastest cutting, longest lasting recyclable abrasive wheel
- ▶ For cutting operations only, taper design prevents binding
- ▶ Has a wide aluminum flange around the arbor hole for added strength

Item #	Diameter	Description	Thickness	Arbor	UPC
2140022	4"	Flat Cut Type 1	1/16"	5/8"	059511140095
2140042	4 1/2"	Flat Cut Type 1	1/16"	7/8"	059511140101
2140052	5"	Flat Cut Type 1	1/16"	7/8"	059511140088
2140062	7"	Flat Cut Type 1	1/16"	5/8"	059511140125
2140112	7"	Flat Cut Type 1	1/8"	5/8"	059511140118
2140122	7"	Flat Cut Type 1	1/8"	5/8" DKO	059511140149
2140152	8"	Flat Cut Type 1	1/8"	5/8"	059511140156
2140222	10"	Cutting Wheel Type 1	3/32"	5/8"	059511140217
2140262	12"	Cutting Wheel Type 1	1/8"	1"	059511140262
2140272	12"	Cutting Wheel Type 1	3/32"	20mm	059511140279
2140282	14"	Cutting Wheel Type 1	1/8"	1"	059511140286
2140292	14"	Cutting Wheel Type 1	3/32"	1"	059511140293
2140302	12"	Cutting Wheel Type 1	1/8"	20mm	059511140354
2140322	14"	Cutting Wheel Type 1	1/8"	20mm	059511140378
2143412	4 1/2"	XLock Flat Cut Type 1	1/25"	7/8"	059511141733
2143422	5"	XLock Flat Cut Type 1	1/25"	7/8"	059511141740



 WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Metal Grinding

- ▶ Used primarily for grinding steel and metal products
- ▶ Has a wide aluminum flange around the arbor hole for added strength
- ▶ DCW Type 27

PRO

PROFESSIONAL
Heavy-Duty

Item #	Diameter	Description	Thickness	Arbor	UPC
2160042	4"	Grinding DCW Type 27	1/4"	5/8"	059511160048
2160062	4 1/2"	Grinding DCW Type 27	1/4"	7/8"	059511160062
2160082	5"	Grinding DCW Type 27	1/4"	7/8"	059511160086
2160112	7"	Grinding DCW Type 27	1/4"	7/8"	059511160116
2160132	4"	Cut/Grind DCW Type 27	1/8"	5/8"	059511160130
2160142	4 1/2"	Cut/Grind DCW Type 27	1/8"	7/8"	059511160147
2160152	5"	Cut/Grind DCW Type 27	1/8"	7/8"	059511160154
2160172	7"	Cut/Grind DCW Type 27	1/8"	7/8"	059511160178



Masonry Cutting



PROFESSIONAL
Heavy-Duty

- ▶ Used mainly for cutting masonry bricks and blocks, concrete, asphalt, plexiglas, fiberglass, and tile
- ▶ Has a wide aluminum flange around the arbor hole for added strength
- ▶ Flat wheel Type 1

Item #	Diameter	Description	Thickness	Arbor	UPC
2141112	7"	Cutting Type 1	1/8"	5/8"	059511141115
2141122	7"	Cutting Type 1 DKO	1/8"	5/8" DKO	059511141122
2141152	8"	Cutting Type 1	1/8"	5/8"	059511141153
2141212	10"	Cutting Type 1	1/8"	5/8"	059511141214
2141262	12"	Cutting Type 1	1/8"	1"	059511141269
2141272	12"	Cutting Type 1	3/32"	1"	059511141276
2141282	14"	Cutting Type 1	1/8"	1"	059511141283
2141292	14"	Cutting Type 1	3/32"	1"	059511141290
2141302	12"	Cutting Type 1	1/8"	20mm	059511141306
2141312	12"	Cutting Type 1	3/32"	20mm	059511141313
2141322	14"	Cutting Type 1	1/8"	20mm	059511141320



Masonry Grinding



PROFESSIONAL
Heavy-Duty

- ▶ Used for grinding masonry and concrete products
- ▶ Has a wide aluminum flange around the arbor hole for added strength
- ▶ DCW Type 27

Item #	Diameter	Description	Thickness	Arbor	UPC
2160202	4"	Grinding DCW Type 27	1/4"	5/8"	059511160031
2160212	4 1/2"	Grinding DCW Type 27	1/4"	7/8"	059511160055
2160222	5"	Grinding DCW Type 27	1/4"	7/8"	059511160079
2160232	7"	Grinding DCW Type 27	1/4"	7/8"	059511160093
2160242	4"	Grinding DCW Type 27	1/8"	5/8"	059511160109
2160252	4 1/2"	Grinding DCW Type 27	1/8"	1/8"	059511160123
2160262	5"	Grinding DCW Type 27	1/8"	7/8"	059511160161
2160272	7"	Grinding DCW Type 27	1/8"	7/8"	059511160185



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Flap Disc Type 29

- ▶ Aluminum oxide recyclable abrasive wheels for stock removal and surface finishing of wood and metal
- ▶ Overlap design removes material faster and lasts many times longer than regular sanding discs
- ▶ Type 29



INDUSTRIAL
Extreme-Duty

Item #	Diameter	Grit	Arbor	UPC
2174080	4"	80	5/8"	059511142020
2175040	4 1/2"	40	7/8"	059511142044
2175060	4 1/2"	60	7/8"	059511142051
2175080	4 1/2"	80	7/8"	059511142068
2175120	4 1/2"	120	7/8"	059511142075
2176040	5"	40	7/8"	059511142082
2176060	5"	60	7/8"	059511142099
2176080	5"	80	7/8"	059511142105
2176080	5"	80	7/8"	059511142105



XLock Flap Disc Type 29

- ▶ Aluminum oxide recyclable abrasive wheels for stock removal and surface finishing of wood and metal
- ▶ Overlap design removes material faster and lasts many times longer than regular sanding discs
- ▶ Type 29



PROFESSIONAL
Heavy-Duty

Item #	Diameter	Grit	Arbor	UPC
2143040	4 1/2"	40	X-Lock Quick Change	059511141795
2143060	4 1/2"	60	X-Lock Quick Change	059511141771
2143080	4 1/2"	80	X-Lock Quick Change	059511142273
2143120	4 1/2"	120	X-Lock Quick Change	059511141788



Crimped Wire Wheels

- ▶ For surface cleaning and finishing, deburring, paint and rust removal
- ▶ Crimped wire wheels and brushes for bench grinders

Item #	Diameter	Shank	Type	UPC
2160400	2 1/2"	1/4"	Brass Coated Coarse	059511160307
2160401	2 1/2"	1/4"	Brass Coated Fine	059511160314
2160402	4"	1/4"	Brass Coated Coarse	059511160321
2160403	4"	1/4"	Brass Coated Fine	059511160338
2160446	4"	1/2" Arbor	Brass Coated Fine	059511160765
2160447	6"	1/2" Arbor	Brass Coated Coarse	059511160772
2160448	6"	1/2" Arbor	Brass Coated Coarse	059511160789



Wire Cups

- ▶ For light duty cleaning, deburring, rust removal and surface preparation of large areas
- ▶ 1/4" shank for use with electric drills

Item #	Diameter	Shank	Type	UPC
2160417	2 1/2"	1/4"	Knotted Carbon Steel	059511160475
2160427	2 1/2"	1.25 Arbor	Knotted Carbon Steel M10	059511160574
2160436	2 1/2"	1.25 Arbor	Crimped Carbon Steel M10	059511160666
2160437	2 1/2"	11 mm Arbor	Crimped Carbon Steel 5/8"	059511160673
2160428	2 1/2"	11 mm Arbor	Knotted Stainless Steel 5/8"	059511160581
2160426	2 1/2"	1.25 Arbor	Knotted Carbon Steel M10	059511160567
2160408	3"	1/4"	Crimped Brass Coated – Coarse	059511160383
2160409	3"	1/4"	Crimped Brass Coated – Fine	059511160390
2160413	3"	1/4"	Crimped Carbon Steel	059511160437
2160430	3"	2.0 Arbor	Knotted Carbon Steel M14	059511160604
2160439	3"		Crimped	059511160697
2160429	3"		Knotted	059511160598
2160438	3"		Crimped	059511160680
2160440	4"		Crimped	059511160703
2160431	4"		Knotted	059511160611



Multipacks

Item #	Pack	UPC
2160421	3 Pc Multipack	059511160512
2160422	5 Pc Multipack	059511160529
2160449	36 Pc Multipack	059511160796



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Accessories for the perfect job

EVERY TIME

OSCILLATING ACCESSORIES

OSCILLATING TOOL ACCESSORIES TO CUT, SAND, SCRAPE, AND GRIND



PRO

CUTTING

Cuts wood, composites, drywall, soft metals, flooring, fiber cement, plastic, nails, ferrous, and non-ferrous metals



PRO

GRINDING

Grinds wood, composites, grout, drywall, and adhesives



PRO

SCRAPING

Scrapes wood, paint, glue, sealants, adhesives, vinyl, flooring, and caulking



PRO

SANDING

Sands wood and composites (plywood and particleboard), and removes rust

 WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Cutting



PROFESSIONAL
Heavy-Duty

- ▶ Recyclable, professional grade oscillating tool accessories
- ▶ High carbon steel blade for fast cutting wood, plastics and drywall products to 1 1/2" deep
- ▶ New & improved quality! Excellent durability and performance
- ▶ Individually packaged with fully recyclable materials
- ▶ Designed to fit Fein, Dremel, Milwaukee, Ridgid, Bosch, Porter Cable, Makita, Stanley FatMax, Skil, Ryobi, Craftsman, and Mastercraft as well as many other popular brands

Item #	Size	Cutting Depth	Description	UPC
2070052	3 3/8"	3/4"	Angled Blade (Wood & Drywall)	059511141856
2070042	1 1/4"	1 1/2"	Flush Cut (Wood & Metal)	059511141849
2070232	1 1/4"	1 1/2"	Flush Cut (Wood & Metal)	059511142211
2072002	1 1/4"	1 1/2"	Flush Cut (Wood & Metal)	059511407723
2070212	1 1/2"	1 1/4"(2), 2 3/4", 3 3/8"	Flush Cut (Wood & Metal)	059511141986
2070012	3/4"	1 1/4"	Flush Cut (Wood)	059511141818
2070022	1 1/4"	1 1/2"	Flush Cut (Wood)	059511141825
2070032	2 3/4"	1 1/2"	Flush Cut (Wood)	059511141832
2070222	1 1/2"	1 1/4"	Grout Removal Blade	059511141993
2070252	2 3/4"	1 1/4"	Speedy Flush Cut (Wood)	059511142228
2070062	3"	3/4"	Wood & Drywall	059511141863



Grinding



PROFESSIONAL
Heavy-Duty

- ▶ Recyclable, professional grade oscillating tool accessories
- ▶ For fast, clean removal of old and damaged tile grout
- ▶ New & improved quality! Excellent durability and performance
- ▶ Individually packaged with fully recyclable materials
- ▶ Designed to fit Fein, Dremel, Milwaukee, Ridgid, Bosch, Porter Cable, Makita, Stanley FatMax, Skil, Ryobi, Craftsman, and Mastercraft as well as many other popular brands

Item #	Size	Cutting Depth	Description	UPC
2070102	2 1/2"	1/8"	Grout Removal Blade	059511141900
2070092	3"		Rasp	059511141894



Scraping



PROFESSIONAL
Heavy-Duty

- ▶ Recyclable, professional grade oscillating tool accessories
- ▶ New & improved quality! Lasts 2X longer than our previous generation
- ▶ Individually packaged; buy only the blades you need
- ▶ Designed to fit Fein, Dremel, Milwaukee, Ridgid, Bosch, Porter Cable, Makita, Stanley FatMax, Skil, Ryobi, Craftsman, and Mastercraft as well as many other popular brands

Item #	Size	Cutting Depth	Description	UPC
2070082	2"	1 1/2"	Scraper (Flexible)	059511141887
2070072	2"	1 1/2"	Scraper (Rigid)	059511141870



Sanding



PROFESSIONAL
Heavy-Duty

- ▶ Recyclable, professional grade oscillating tool accessories
- ▶ Sanding pad holds all hook and loop sandpaper and triangular shape fits into tight corners
- ▶ New & improved quality! Lasts 2X longer than our previous generation
- ▶ Individually packaged with fully recyclable materials
- ▶ Designed to fit Fein, Dremel, Milwaukee, Ridgid, Bosch, Porter Cable, Makita, Stanley FatMax, Skil, Ryobi, Craftsman, and Mastercraft as well as many other popular brands

Item #	Size	Description	Pack	UPC
2070122	3"	Hook & Loop Pad	1 pc	059511141924
2070112	3"	Sandpaper	15 pc	059511141917



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.



Drive screws perfectly

EVERY TIME

SCREWDRIVER BITS

WE HAVE THE RIGHT SCREWDRIVER BIT AND ACCESSORY, AT THE RIGHT PRICE, TO MAKE YOUR JOB QUICK AND EASY.



TORSION IMPACT

Longest lasting, highest torque bits designed for impact drivers



IMPACT

Long lasting bits designed for modern impact drivers



COLOUR CODED

Colour coded bits



DECKING

Special tip designed for best fit on coated screws



BANDED

High torque driver bits



STANDARD

Standard, general purpose bits



SPECIALTY

Full assortment of specialty bit holders and adapters

WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.



PROFESSIONAL
Heavy-Duty

Torsion Impact

- ▶ Specially tempered S2 spring steel of the torsion zone absorbs and dampens the stresses produced by modern impact drivers
- ▶ Matte black finish, with contrasting Colour coded bands allow for easy identification
- ▶ Hex shanks provide optimal fit in modern impact guns
- ▶ Powder coat finish will not damage the impact mechanism

Item #	Length	Configuration	Point Size	UPC
76235	1"	Square Recess	SQ #2	059511762358
76237	2"	Square Recess	SQ #1	059511762372
76239	2"	Square Recess	SQ #2	059511762396
76241	2"	Square Recess	SQ #3	059511762419
76245	3"	Square Recess	SQ #1	059511762457
76247	3"	Square Recess	SQ #2	059511762471
76249	3"	Square Recess	SQ #3	059511762495
76251	4"	Square Recess	SQ #1	059511762518
76253	4"	Square Recess	SQ #2	059511762532
76255	4"	Square Recess	SQ #3	059511762556
76263	6"	Square Recess	SQ #1	059511762631
76265	6"	Square Recess	SQ #2	059511762655
76267	6"	Square Recess	SQ #3	059511762679
76269	12"	Square Recess	SQ #2	059511762693
76001	1"	Phillips	PH #2	059511760019
76003	2"	Phillips	PH #1	059511760033
76007	2"	Phillips	PH #2	059511760071
76011	2"	Phillips	PH #3	059511760118
76017	3"	Phillips	PH #1	059511760170
76019	3"	Phillips	PH #2	059511760194
76021	3"	Phillips	PH #3	059511760217
76025	4"	Phillips	PH #2	059511760255
76047	1"	Phillips	PH #2 Drywall	059511760477
76053	2"	Phillips	PH #2 Drywall	059511760538
76063	6"	Phillips	PH #1	059511760637
76067	6"	Phillips	PH #2	059511760675
76069	6"	Phillips	PH #3	059511760699
76071	12"	Phillips	PH #2	059511760712



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.



PRO
PROFESSIONAL
Heavy-Duty

Torsion Impact – continued

Item #	Length	Configuration	Point Size	UPC
75327	1"	Torx	T25	059511753271
76224	1"	Torx	T20	059511762242
76232	12"	Torx	T20	059511762327
76233	12"	Torx	T25	059511762334
76318	2"	Torx	T10	059511763188
76321	2"	Torx	T15	059511763218
76324	2"	Torx	T20	059511763249
76327	2"	Torx	T25	059511763270
76333	2"	Torx	T30	059511763331
76336	2"	Torx	T40	059511763362
76418	3"	Torx	T10	059511764185
76421	3"	Torx	T15	059511764215
76424	3"	Torx	T20	059511764246
76427	3"	Torx	T25	059511764277
76433	3"	Torx	T30	059511764338
76436	3"	Torx	T40	059511764369
76518	6"	Torx	T10	059511765182
76521	6"	Torx	T15	059511765212
76524	6"	Torx	T20	059511765243
76527	6"	Torx	T25	059511765274
76533	6"	Torx	T30	059511765335
76536	6"	Torx	T40	059511765366
76724	4"	Torx	T20	059511766370
76727	4"	Torx	T25	059511766387
76618	2"	GRK™ Torx	T10	059511766189
76621	2"	GRK™ Torx	T15	059511766219
76624	2"	GRK™ Torx	T20	059511766240
76627	2"	GRK™ Torx	T25	059511766271
76633	2"	GRK™ Torx	T30	059511766332
76636	2"	GRK™ Torx	T40	059511766363
75200	2"	Torsion Impact Bit Clip	PH #2	059511752007
75210	2"	Torsion Impact Bit Clip	SQ #2	059511752106
75220	2"	Torsion Impact Bit Clip	T20(5),T25(5)	059511752205



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Torsion Impact – continued

PRO

PROFESSIONAL
Heavy-Duty

Item #	Length	Configuration	Point Size	UPC
75230	2"	Torsion Impact Bit Clip	SQ #1(2),2(3),3; PH #1,2(2),3	059511753271
75240	2"	Torsion Impact Bit Clip	SQ #1,2(2); PH #1,2(2),3; T20,T25,T30	059511752403
75250	2"	Torsion Impact Bit Clip	T25	059511752502
75300	2"	Torsion Impact Bit Clip	PH #2	059511753004
75310	2"	Torsion Impact Bit Clip	SQ #2	059511753103
75320	2"	Torsion Impact Bit Clip	T20(5), T25(5)	059511753202
75330	2"	Torsion Impact Bit Clip	SQ #1(2), 2(3),3; PH #1,2(2),3	059511753301
75340	2"	Torsion Impact Bit Clip	SQ #1,2(2); PH #1,2(2),3; T20,T25,T30	059511753400
75350	2"	Torsion Impact Bit Clip	T25	059511753509
76005	2"	Torsion Impact Bit Clip	T10(2),T15,T20(2),T25(2),T30(2) ,T40	059511760057
76105	2"	Torsion Impact Bit Clip	T10(2),T15,T20(2),T25(2),T30(2) ,T40	059511761054
76220	2"	Torsion Impact Bit Clip	T10,T15,T20(2),T25(2),T30(2) ,T40(2)	059511762204
76320	2"	Torsion Impact Bit Clip	T10,T15,T20(2),T25(2),T30(2) ,T40(2)	059511763201
76700		Torsion Impact	41 Pc Multipack	059511767001





PROFESSIONAL
Heavy-Duty

Impact

- ▶ Our professional grade recyclable screwdriver bits are made from a special alloy steel, which is heat treated for maximum strength and durability
- ▶ Hardness is 60/62 HRC surface through to core
- ▶ Torque tested to ensure a higher breaking point

Item #	Length	Configuration	Point Size	UPC
98500	2"	Square Recess	SQ #1	059511985009
98501	2"	Square Recess	SQ #2	059511985016
98502	2"	Square Recess	SQ #3	059511985023
98503	2 3/4"	Square Recess	SQ #1	059511985030
98504	2 3/4"	Square Recess	SQ #2	059511985047
98505	2 3/4"	Square Recess	SQ #3	059511985054
98506	4"	Square Recess	SQ #1	059511985061
98507	4"	Square Recess	SQ #2	059511985078
98508	4"	Square Recess	SQ #3	059511985085
98520	2"	Phillips	PH #1	059511985207
98521	2"	Phillips	PH #2	059511985214
98522	2"	Phillips	PH #2 Drywall	059511985221
98523	2"	Phillips	PH #3	059511985238
98524	2 3/4"	Phillips	PH #1	059511985245
98525	2 3/4"	Phillips	PH #2	059511985252
98526	2 3/4"	Phillips	PH #3	059511985269
98540	2"	Torx	T10	059511985405
98541	2"	Torx	T15	059511985412
98542	2"	Torx	T20	059511985429
98543	2"	Torx	T25	059511985436
98544	2"	Torx	T30	059511985443
98545	2"	Torx	T40	059511985450



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Impact



- ▶ Our industrial grade recyclable screwdriver bits are made with special tempered S2 spring steel
- ▶ The reduced, rounded shank improves balance and reduces vibration
- ▶ The milled finish, non-coated hex shanks provide optimal fit in modern impact guns
- ▶ All of our impact bits are magnetized to hold fasteners in place while driving
- ▶ Our highest torque, and longest lasting bits
- ▶ Torque tested to ensure a higher breaking point

Item #	Length	Configuration	Point Size	UPC
98235	1 1/4"	Square Recess	SQ #2	059511982350
98237	2"	Square Recess	SQ #1	059511982374
98239	2"	Square Recess	SQ #2	059511982398
98241	2"	Square Recess	SQ #3	059511982411
98243	2"	Square Recess	SQ #4	059511982435
98245	2 3/4"	Square Recess	SQ #1	059511982459
98247	2 3/4"	Square Recess	SQ #2	059511982473
98249	2 3/4"	Square Recess	SQ #3	059511982497
98251	4"	Square Recess	SQ #1	059511982510
98253	4"	Square Recess	SQ #2	059511982534
98255	4"	Square Recess	SQ #3	059511982558
98263	6"	Square Recess	SQ #1	059511982633
98265	6"	Square Recess	SQ #2	059511982657
98267	6"	Square Recess	SQ #3	059511982671
98001	1 1/4"	Phillips	PH #2	059511980011
98003	2"	Phillips	PH #1	059511980035
98007	2"	Phillips	PH #2	059511980073
98009	2"	Phillips	PH #2 Drywall	059511980097
98011	2"	Phillips	PH #3	059511980110
98017	2 3/4"	Phillips	PH #3	059511980172
98019	2 3/4"	Phillips	PH #2	059511980196
98021	2 3/4"	Phillips	PH #3	059511980219
98025	4"	Phillips	PH #2	059511980257
98063	6"	Phillips	PH #1	059511980639
98067	6"	Phillips	PH #2	059511980677
98069	6"	Phillips	PH #3	059511980691



Impact



INDUSTRIAL
Extreme-Duty

Item #	Length	Configuration	Point Size	UPC
98218	6"	Torx	T10	059511982183
98219	6"	Torx	T15	059511982190
98220	6"	Torx	T30	059511982206
98221	2"	Torx	T10	059511982213
98223	2"	Torx	T15	059511982237
98225	2"	Torx	T20	059511982251
98227	2"	Torx	T25	059511982275
98228	2"	Torx	T40	059511982282
98229	2"	Torx	T30	059511982299
98230	6"	Torx	T20	059511982305
98231	6"	Torx	T25	059511982312
98232	12"	Torx	T20	059511982329
98233	12"	Torx	T25	059511982336
98280	2"	Torx Security	TT10	059511982800
98281	2"	Torx Security	TT15	059511982817
98283	2"	Torx Security	TT20	059511982831
98285	2"	Torx Security	TT25	059511982855
98286	2"	Torx Security	TT30	059511982862
98287	2"	Torx Security	TT40	059511982879
98070	2"	Socket Adapter	1/4"	059511980707
98071	2"	Socket Adapter	3/8"	059511980714
98073	2"	Socket Adapter	1/2"	059511980738
98087	2"	Guide Collar Driver	SQ #2	059511980875
98088	2"	Guide Collar Driver	PH #2	059511980882



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Impact



INDUSTRIAL
Extreme-Duty

Item #	Length	Configuration	Point Size	UPC
98090	2"	Impact Bit Clip	1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm	059511980882
98091	2"	Impact Bit Clip	SQ #2	059511980912
98093	2"	Impact Bit Clip	PH #2	059511980936
98096	2"	Impact Bit Clip	SQ #0,1,2,3; PH #1,2,2D,3; T15,T20	059511980967
98097	2"	Impact Bit Clip	T10(2), T15(2), T20(2), T25 (2), T30(2)	059511980974
98098	2"	Impact Bit Clip	T20	059511980981
98099	2"	Impact Bit Clip	T25	059511980998
98100	2"	Impact Bit Clip	SQ #1(2),2(3),3; PH #1,2(2),3	059511981001
98102	2"	Impact Bit Clip	SQ #2	059511981025
98103	2"	Impact Bit Clip	SQ #1(2),2(3),3; PH #1,2(2),3	059511981032
98105	2"	Impact Bit Clip	SQ #0,1,2,3; PH #1,2,2D,3; T15,T20	059511981056
98106	2"	Impact Bit Clip	SQ #1,2;PH #1,2(3), 3; T20,T25,T30	059511981063
98110	2"	Impact Bit Clip	10 PC Multipack	059511005608
98107	3"	Impact Bit Clip	PH #2	059511981070
76733	3"	Bit Holder		059511767339



Colour Coded



- ▶ These Professional recyclable screwdriver bits are colour coded for easy identification
- ▶ Our professional grade screwdriver bits are made from a special S2 alloy steel, which is heat treated for maximum strength and durability
- ▶ Colour coded shank bits should not be used with impact drivers

Item #	Length	Configuration	Point Size	UPC
73225	4"	Square Recess	SQ #1	059511732252
73226	4"	Square Recess	SQ #2	059511732269
73227	4"	Square Recess	SQ #3	059511732276
73237	2"	Square Recess	SQ #1	059511732375
73239	2"	Square Recess	SQ #2	059511732399
73241	2"	Square Recess	SQ #3	059511732412
73245	2 3/4"	Square Recess	SQ #1	059511732450
73247	2 3/4"	Square Recess	SQ #2	059511732498
73263	6"	Square Recess	SQ #1	059511732634
73265	6"	Square Recess	SQ #2	059511732658
73267	6"	Square Recess	SQ #3	059511732672
3180242	2"	Square Recess	SQ (2pc) #2	059511202236
75017	2"	Square Recess	SQ #2 Bit Clip (10pc)	059511750171
75031	2"	Square Recess, Phillips, Torx	SQ (1pc) #0,1,2,3; PH #1,2,2D,3; T15,T20	059511750317
75032	2"	Square Recess	SQ #2	059511750324
75042	2"	Square Recess, Phillips	SQ #1(2),2(3),3; PH #1,2(2),3	059511750423
73003	2"	Phillips	PH #1	059511730036
73007	2"	Phillips	PH #2	059511730074
73011	2"	Phillips	PH #3	059511730111
73017	2 3/4"	Phillips	PH #1	059511730173
73019	2 3/4"	Phillips	PH #2	059511730197
73021	2 3/4"	Phillips	PH #3	059511730210
73063	6"	Phillips	PH #1	059511730630
73067	6"	Phillips	PH #2	059511730678
73069	6"	Phillips	PH #3	059511730692



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.



Colour Coded

- ▶ Our recyclable screwdriver bits are colour coded for easy identification
- ▶ These industrial, recyclable screwdriver bits are colour coded for easy identification
- ▶ Our industrial grade screwdriver bits are mad from a special alloy steel, which is heat treated for maximum strength and durability
- ▶ Coloured shank bits should not be used with impact drivers

Item #	Length	Configuration	Point Size	UPC
82221	1"	Square Recess	SQ #0	059511822212
82223	1"	Square Recess	SQ #1	059511822236
82225	1"	Square Recess	SQ #2	059511822250
82227	1"	Square Recess	SQ #3	059511822274
83225	4"	Square Recess	SQ #1	059511832259
83226	4"	Square Recess	SQ #2	059511832266
83227	4"	Square Recess	SQ #3	059511832273
83235	2"	Square Recess	SQ #0	059511832358
83237	2"	Square Recess	SQ #1	059511832372
83239	2"	Square Recess	SQ #2	059511832396
83241	2"	Square Recess	SQ #3	059511832419
83245	2 3/4"	Square Recess	SQ #1	059511832457
83247	2 3/4"	Square Recess	SQ #2	059511832471
83249	2 3/4"	Square Recess	SQ #3	059511832495
83263	6"	Square Recess	SQ #1	059511832631
83265	6"	Square Recess	SQ #2	059511832655
83267	6"	Square Recess	SQ #3	059511832679
83269	12"	Square Recess	SQ #2	059511832693
82005	1"	Phillips	PH #1	059511820058
82011	1"	Phillips	PH #2	059511820119
82019	1"	Phillips	PH #3	059511820195
82047	1"	Phillips	PH #2 Drywall	059511820478
82053	2"	Phillips	PH #2 Drywall	059511820539
83003	2"	Phillips	PH #1	059511830033
83007	2"	Phillips	PH #2	059511830071
83011	2"	Phillips	PH #3	059511830118
83017	2 3/4"	Phillips	PH #1	059511830170
83019	2 3/4"	Phillips	PH #2	059511830194



Colour Coded



INDUSTRIAL
Extreme-Duty

Item #	Length	Configuration	Point Size	UPC
83021	2 3/4"	Phillips	PH #3	059511830217
83063	6"	Phillips	PH #1	059511830637
83067	6"	Phillips	PH #2	059511830675
83069	6"	Phillips	PH #3	059511830699
83071	12"	Phillips	PH #2	059511830712
83073	12"	Phillips	PH #3	059511830736
82318	1 1/4"	Torx	T10	059511823189
82321	1 1/4"	Torx	T15	059511823219
82324	1 1/4"	Torx	T20	059511823240
82327	1 1/4"	Torx	T25	059511823271
82333	1 1/4"	Torx	T30	059511823332
82336	1 1/4"	Torx	T40	059511823363
83318	2"	Torx	T10	059511833188
83321	2"	Torx	T12	059511833218
83324	2"	Torx	T20	059511833249
83327	2"	Torx	T25	059511833270
83333	2"	Torx	T30	059511833331
83336	2"	Torx	T40	059511833362
75001	2"	Bit Clip	SQ #0,1,2,3; PH #1,2,2D,3; T15,T20	059511750010
75003	2"	Bit Clip	PH #2 Drywall	059511750232
75004	2"	Bit Clip	PH #2	059511750041
75005	2"	Bit Clip	T10(2), T15(2), T20(2), T25(2), T30(2)	059511750058
75007	1"	Bit Clip	PH #2	059511750072
75008	1"	Bit Clip	PH #2 Drywall	059511750089
75010	2"	Bit Clip	PH #3	059511750102
75011	2"	Bit Clip	T20(5),T25(5)	059511750256
75016	2"	Bit Clip	1/4", 1/16", 5/64", 3/32", 7/64", 9/64", 3/16"	059511750164
96032	2"	Bit Clip	SQ (2pc) #2	059511610239
96033	2"	Bit Clip	SQ #1(5),#2(5)	059511750126
96042	2"	Bit Clip	SQ (2pc) #1(2),2(3),3; PH #1,2(2),3	059511750034



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.


Decking

- ▶ 3° tip design offers better fit with coated deck screws
- ▶ Made with heat treated modified S2 tool steel for less shattering and premature wear
- ▶ Field tests averaged 2500 screws without breakage
- ▶ Note: 3° tip fits loose on standard plated screws



PROFESSIONAL
Heavy-Duty

Item #	Length	Configuration	Point Size	UPC
76206	2"	Torsion Bits	SQ #2	059511762068
76209	3"	Torsion Bits	SQ #2	059511762099
76210	4"	Torsion Bits	SQ #2	059511762105
76215	6"	Torsion Bits	SQ #2	059511762150



Decking



INDUSTRIAL
Extreme-Duty

Item #	Length	Configuration	Point Size	UPC
95006	2"	Square Recess	SQ #2	059511950069
95009	2 3/4"	Square Recess	SQ #2	059511950090
95010	4"	Square Recess	SQ #2	059511950106
95015	6"	Square Recess	SQ #2	059511950151
95016	12"	Square Recess	SQ #2	059511950168
95017	2"	Square Recess	SQ #1	059511950175
95018	4"	Square Recess	SQ #1	059511950182
95019	6"	Screwdriver Bits	SQ #1	059511950199
75015	2"	10pc Bit Clip	SQ #2	059511750157





INDUSTRIAL
Extreme-Duty

Banded

- ▶ High torque, long lasting bits; compatible with impact drivers
- ▶ We now make it easy to find the right bit quickly, with color coded identification bands
- ▶ Our industrial grade screwdriver bits are made from a special alloy steel, which is heat treated for maximum strength and durability
- ▶ Hardness is 60/62 HRC surface through to core
- ▶ Torque tested to ensure a higher breaking point

Item #	Length	Configuration	Point Size	UPC
62221	1"	Square Recess	SQ #0	059511622218
62223	1"	Square Recess	SQ #1	059511622232
62225	1"	Square Recess	SQ #2	059511622256
62227	1"	Square Recess	SQ #3	059511622270
63225	4"	Square Recess	SQ #1	059511632255
63226	4"	Square Recess	SQ #2	059511632262
63227	4"	Square Recess	SQ #3	059511632279
63235	2"	Square Recess	SQ #0	059511632354
63237	2"	Square Recess	SQ #1	059511632378
63239	2"	Square Recess	SQ #2	059511632392
63241	2"	Square Recess	SQ #3	059511632415
63245	2 3/4"	Square Recess	SQ #1	059511632453
63247	2 3/4"	Square Recess	SQ #2	059511632477
63249	2 3/4"	Square Recess	SQ #3	059511632491
63263	6"	Square Recess	SQ #1	059511632637
63265	6"	Square Recess	SQ #2	059511632651
63267	6"	Square Recess	SQ #3	059511632675
62005	1"	Phillips	PH #1	059511620054
62011	1"	Phillips	PH #2	059511620115
62019	1"	Phillips	PH #3	059511620191
62047	1"	Phillips	PH #2 Drywall	059511620474
62053	2"	Phillips	PH #2 Drywall	059511620535
63003	2"	Phillips	PH #1	059511630039
63007	2"	Phillips	PH #2	059511630077
63011	2"	Phillips	PH #3	059511630114
63017	2 3/4"	Phillips	PH #1	059511630176



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Banded



Item #	Length	Configuration	Point Size	UPC
63019	2 3/4"	Phillips	PH #2	059511630190
63021	2 3/4"	Phillips	PH #3	059511630213
63063	6"	Phillips	PH #1	059511630633
63067	6"	Phillips	PH #2	059511630671
63069	6"	Phillips	PH #3	059511630695
62318	1 1/4"	Torx	T10	059511623185
62321	1 1/4"	Torx	T15	059511623215
62324	1 1/4"	Torx	T20	059511623246
62327	1 1/4"	Torx	T25	059511623277
62333	1 1/4"	Torx	T30	059511623338
62336	1 1/4"	Torx	T40	059511623369
63318	2"	Torx	T10	059511633184
63321	2"	Torx	T15	059511633214
63324	2"	Torx	T20	059511633245
63327	2"	Torx	T25	059511633276
63330	2"	Torx	T30	059511633306
63333	2"	Torx	T40	059511633337
75018	2"	Banded Bit Clip	SQ #2	059511750188
75019	2"	Banded Bit Clip	PH #2	059511750195
75020	2"	Banded Bit Clip	SQ #1,#2(7),#3(2)	059511750201
75021	2"	Banded Bit Clip	T10(5),T20(5)	059511750218
75022	2"	Banded Bit Clip	T15(5),T25(5)	059511750225



Standard

- ▶ Our Industrial grade recyclable screwdriver bits are made from a special alloy steel, which is heat treated for maximum strength and durability
- ▶ Hardness is 60/62 HRC surface through to core
- ▶ Torque tested to ensure a higher breaking point



INDUSTRIAL
Extreme-Duty

Item #	Length	Configuration	Point Size	UPC
92221	1"	Square Recess	SQ #0	059511922219
92223	1"	Square Recess	SQ #1	059511922233
92225	1"	Square Recess	SQ #2	059511922257
92227	1"	Square Recess	SQ #3	059511922271
93225	4"	Square Recess	SQ #1	059511932256
93226	4"	Square Recess	SQ #2	059511932263
93227	4"	Square Recess	SQ #3	059511932270
93235	2"	Square Recess	SQ #0	059511932355
93237	2"	Square Recess	SQ #1	059511932379
93239	2"	Square Recess	SQ #2	059511932393
93241	2"	Square Recess	SQ #3	059511932416
93245	2 3/4"	Square Recess	SQ #1	059511932454
93247	2 3/4"	Square Recess	SQ #2	059511932478
93249	2 3/4"	Square Recess	SQ #3	059511932492
93263	6"	Square Recess	SQ #1	059511932638
93265	6"	Square Recess	SQ #2	059511932652
93267	6"	Square Recess	SQ #3	059511932676
92005	1"	Phillips	PH #1	059511920055
92011	1"	Phillips	PH #2	059511920116
92019	1"	Phillips	PH #3	059511920192
92047	1"	Phillips	PH #2 Drywall	059511920475
92053	2"	Phillips	PH #2 Drywall	059511920536
93003	2"	Phillips	PH #1	059511930030
93007	2"	Phillips	PH #2	059511930078
93011	2"	Phillips	PH #3	059511930115
93017	2 3/4"	Phillips	PH #1	059511930177
93019	2 3/4"	Phillips	PH #2	059511930191
93021	2 3/4"	Phillips	PH #3	059511930214
93063	6"	Phillips	PH #1	059511930634



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Standard



INDUSTRIAL
Extreme-Duty

Item #	Length	Configuration	Point Size	UPC
93067	6"	Phillips	PH #2	059511930672
93069	6"	Phillips	PH #3	059511930696
92318	1"	Torx	T10	059511923186
92321	1"	Torx	T15	059511923216
92324	1"	Torx	T20	059511923247
92327	1"	Torx	T25	059511923278
92330	1"	Torx	T27	059511923308
92333	1"	Torx	T30	059511923339
92336	1"	Torx	T40	059511923360
93318	2"	Torx	T10	059511933185
93321	2"	Torx	T15	059511933215
93324	2"	Torx	T20	059511933246
93327	2"	Torx	T25	059511933277
93333	2"	Torx	T30	059511933338
93336	2"	Torx	T40	059511933369
93339	6"	Torx	T10	059511933390
93340	6"	Torx	T15	059511933406
93342	6"	Torx	T20	059511933420
93345	6"	Torx	T25	059511933451
92107	1"	Slotted	4F/5R	059511921076
92111	1"	Slotted	6F/5R	059511921113
92113	1"	Slotted	8F/10R	059511921137
96027	1"	32 Pc Multipack	Assorted	059511610260
75014	2"	Standard Bit Clip	TT7, TT8, TT9, TT10, TT15, TT20, TT25, TT27, TT30, TT40	059511750140



Specialty

- ▶ Professional S2 alloy steel
- ▶ 2" length bits
- ▶ Great value 3 piece multipack

Item #	Length	Configuration	Point Size	UPC
96000	2"	Spider Driver	3 Pack	059511610000
93543		Ceiling Tile Hanger - Open Sides	1/4"	059511935431
93545		Ceiling Tile Hanger - HD Closed Sides	1/4"	059511935455
93761	2"	Socket Adapter	1/4"	059511937619
93784	2"	Socket Adapter	3/8"	059511937848
93795	2"	Socket Adapter	2"	059511937954
98711		Bit Holder		059511987119
3240212	1"	Guide Collar Driver	PH #2	059511200744
3240232	2"	Guide Collar Driver	PH #2	059511200775
3240242	2"	Guide Collar Driver	SQ #2	059511200782
75027	1"	Phillips (20 Pack)	PH #2	059511750270



GENERAL
Light Contractor
& DIY



PROFESSIONAL
Heavy-Duty



INDUSTRIAL
Extreme-Duty

2-in-1 Screwdriver

- ▶ Shaft can be adjusted from 3.5" to 5.5" in length with 10 positions in between
- ▶ Ergonomically designed handle with rubber overmold provides premium grip for high torque applications
- ▶ Chrome plated shaft for corrosion resistance

Item #	Configuration	Length	UPC
3241000	2-in-1 SQ1/SQ2	8"	059511007244
3243000	2-in-1 PH2/Slot	8"	059511007466



PROFESSIONAL
Heavy-Duty

11 PC Drill and Drive Set

- ▶ Set includes countersinks and pilot drill bits for #6, #8, #10 and #12 screws
- ▶ Also includes 1" - #1, #2 square recess, T25 bit and Phillips insert bis
- ▶ Quick change between drilling pilot and driving screws into workpiece
- ▶ Easy push forward collet for one-handed release
- ▶ Great for drilling pilot and countersunk holes

Item #	Configuration	UPC
3240800	11 PC	059511007237



PROFESSIONAL
Heavy-Duty

WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Drill bits that perform

EVERY TIME

DRILL BITS

NO MATTER THE MATERIALS YOU'RE WORKING WITH, WE HAVE THE RIGHT DRILL BIT ACCESSORY AT THE RIGHT PRICE TO MAKE YOUR JOB QUICK AND EASY.



WOOD

Drill bits for wood, composites, drywall, and plastics



MASONRY

Drill bits for concrete, brick and block, pavers, stucco, and fiber cement



SPECIALTY

Drill bits for tile, glass, multi-material, and countersinking

 **WARNING:** Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Wood Hex Shank



- ▶ High speed steel drill bits provide greater strength, less breakage and run-out
- ▶ 1/4" hex shank fits all universal bit holders
- ▶ Titanium coating for longer bit life
- ▶ 135° split point for fast, easy starts

Item #	Diameter	Length	UPC
3240302	1/4"		059511949520
3240332	1/8"		059511949582
94912	1/4"	5"	059511949124
94914	3/16"	4 13/32"	059511949148
94916	5/32"	4"	059511949162
94920	3/32"	3"	059511949209
94922	1/16"	2 51/64"	059511949223
1041402	35mm Forstner Bit		059511041408
3241201	1/8"	3"	059511007305
3241203	9/64"	3"	059511007312
3241205	5/32"	3 1/2"	059511007329
3241206	11/64"	3 1/2"	059511007336
3241207	3/16"	3 1/2"	059511007343
3241208	7/32"	3 3/4"	059511007350
3241209	1/4"	4"	059511007367
3241210	5/16"	4 1/2"	059511007374
3241211	3/8"	5"	059511007381
3241212	1/8"	3"	059511908695
3241213	1/8" (2), 5/32", 3/16", 1/4"	5 Pc Multipack	059511007398
3241322	1/8" (2), 5/32", 3/16", 1/4"	5 Pc Multipack	059511005585



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Masonry



PROFESSIONAL
Heavy-Duty

- ▶ These carbide tipped bits are used for drilling into concrete, brick, or block
- ▶ When using concrete screws, drill hole 1" - 1 3/4" plus 1/2" bottom clearance
- ▶ 3/16" x 3 1/2" bits can drill holes up to 2 1/4" for 1/4" concrete screws
- ▶ For best results use with rotary hammer drill

Item #	Diameter	Length	UPC
3316312	3/16"	3 1/2"	059511272000
3316412	3/16"	4 1/2"	059511272062
3316512	3/16"	5 1/2"	059511272024
3316612	3/16"	6 1/2"	059511272031
3316712	3/16"	7 1/2"	059511272048
3532312	5/32"	3 1/2"	059511272055
3532412	5/32"	4 1/2"	059511272017
3532512	5/32"	5 1/2"	059511272079



Specialty Glass & Tile



PROFESSIONAL
Heavy-Duty

- ▶ Designed to drill holes in glass, tile, ceramics, marble, and terrazo
- ▶ 1/4" hex shanks
- ▶ Must be used with water
- ▶ Tungsten carbide tips are diamond wheel sharpened and zinc coated for long service life

Item #	Diameter	UPC
2056310	1/4"	059511120806
2056311	5/16"	059511120813
2056312	3/8"	059511120820
2056313	1/2"	059511120837
2056316	1/8", 3/16", 1/4", 5/16", 3/8", 1/2"	059511120776
2056317	1/8"	059511120783
2056318	3/16"	059511120790



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

**Fasten metal & self-tapping
screws perfectly**

EVERY TIME

DRILL BITS

NO MATTER THE MATERIALS YOU'RE WORKING WITH, WE HAVE THE RIGHT NUTSETTER (OR NUT DRIVERS) AT THE RIGHT PRICE TO MAKE YOUR JOB QUICK AND EASY.



PRO

TORSION IMPACT

Engineered with specially tempered S2 steel and heat treated for maximum strength and durability. Designed with unique torsion zone ready to handle today's impact drivers.



PRO IND

IMPACT

Industrial quality nut setters made for impact drivers with specially tempered S2 steel. Torque tested to ensure higher breaking point.



IND

SPRING LOADED IMPACT

Accommodates a wide variety of head heights on steel roofing screws and other hex head fasteners. Powerful magnet for strong bit engagement and secure fit. S2 steel, heat treated for strength.



IND

STANDARD

Industrial grade standard nutsetters are made from a special alloy steel, heat treated for maximum strength and durability.



PRO IND

COLOUR CODED

These color coded nutsetters are designed for easy identification. Made from a special alloy steel, heat treated for maximum strength and durability and torque tested to ensure a higher breaking point.



IND

BIT HOLDERS

Bit holders hold and secure 1/4" hex shank screwdriver bits, nutsetters and more. Available in many configurations and lengths to suit your driving needs.

WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Torsion Impact

- ▶ Made from specially tempered S2 spring steel and heat treated for maximum strength and durability
- ▶ Power magnet for strong bit engagement and secure fit
- ▶ Lobular design allows for torque transfer from the corners to the sides while reducing stripping damage
- ▶ Torque tested to ensure a higher breaking point

PRO

PROFESSIONAL
Heavy-Duty

Item #	Size	Length	UPC
76075	1/4"	2"	059511760750
76077	5/16"	2"	059511760774
76079	3/8"	2"	059511760798
76081	7/16"	2"	059511760811
76083	1/2"	2"	059511760835
76052	1/4", 5/16", 3/8", 7/16", 1/2"	2"	059511760521
76152	1/4", 5/16", 3/8", 7/16", 1/2"	2"	059511761528



Impact

- ▶ Industrial quality nutsetters made for impact drivers with special tempered S2 spring steel
- ▶ The reduced, rounded shank improves balance and reduces vibration and its milled finish, non-coated hex shanks provide optimal fit in modern impact guns
- ▶ All of our impact bits are magnetized to hold fasteners in place while driving and are colour coded for easy identification
- ▶ Our highest torque, and longest lasting bits
- ▶ Torque tested to ensure a higher breaking point

IND

INDUSTRIAL
Extreme-Duty

Item #	Size	Length	UPC
98075	1/4"	2"	059511980752
98077	5/16"	2"	059511980776
98079	3/8"	2"	059511980790
98081	7/16"	2"	059511980813
98083	1/2"	2"	059511980837
98085	9/16"	2"	059511980851
98095	1/4", 5/16", 3/8", 7/16", 1/2"	2"	059511980950
98101	6mm, 7mm, 8mm, 10mm, 12mm	2"	059511981018
94700	1/4"	2 1/2"	059511947007
94701	5/16"	2 1/2"	059511947014
94703	3/8"	2 1/2"	059511947038
98104	1/4", 5/16", 3/8", 7/16", 1/2"	2"	059511981049



Spring Loaded Impact



INDUSTRIAL
Extreme-Duty

- ▶ Accommodates a wide variety of head heights on steel roofing screws and other hex head fasteners
- ▶ Powerful magnet for strong bit engagement and secure fit
- ▶ Lobular design allows for torque transfer from the corners to the sides while reducing stripping damage
- ▶ Made from specially tempered S2 spring steel and heat treated for maximum strength and durability
- ▶ Torque tested to ensure a higher breaking point

Item #	Size	Length	UPC
94700	1/4"	2 1/2"	059511947007
94701	5/16"	2 1/2"	059511947014
94703	3/8"	2 1/2"	059511947038



Standard



INDUSTRIAL
Extreme-Duty

- ▶ Our industrial grade recyclable nutsetters are made from a special alloy steel, which is heat treated for maximum strength and durability
- ▶ Extra strength earth magnet provides exceptional holding power
- ▶ Unique head design will help prevent sidewall splitting
- ▶ Out performs all others in tough installations
- ▶ Torque tested to ensure a higher breaking point

Item #	Size	Length	UPC
94711	1/2"	2"	059511947113
94712	1/4"	2"	059511947120
94732	5/16"	2"	059511947328
94752	3/8"	2"	059511947526
94772	7/16"	2"	059511947724
94812	1/4"	2 1/2"	059511948127
94832	5/16"	2 1/2"	059511948325
94852	3/8"	2 1/2"	059511948523
94872	7/16"	2 1/2"	059511948721
94875	3/8"	6"	059511948752



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Colour Coded

- ▶ We now make it easy to find the right bit quickly
- ▶ These Professional recyclable nutsetters are colour coded for easy identification
- ▶ Our professional grade nutsetters are made from a special S2 alloy steel, which is heat treated for maximum strength and durability
- ▶ Colour coded shanks should not be used with impact drivers



PROFESSIONAL
Heavy-Duty

Item #	Size	Length	UPC
74711	1/2"	2"	059511747119
74712	1/4"	2"	059511747126
74732	5/16"	2"	059511747324
74752	3/8"	2"	059511747522
74772	7/16"	2"	059511747720
75052	1/4", 5/16", 3/8", 7/16", 1/2"	2"	059511750522
84711	1/2"	2"	059511847116
84712	1/4"	2"	059511847123
84732	5/16"	2"	059511847321
84752	3/8"	2"	059511847529
84772	7/16"	2"	059511847727
96052	1/4", 5/16", 3/8", 7/16", 1/2"	2"	059511960525
96053	3/8"	2"	059511750119





GENERAL
Light Contractor
& DIY

Bit Holder

- ▶ Flexible shaft to access hard-to-reach places
- ▶ Knurled, quick change grip
- ▶ 1/4" shank works with any drills or drivers
- ▶ Accepts 1/4" shank screwdriver bits and drill bits

Item #	Length	Shank	UPC
93721	8"	1/4"	059511937213
93722	12"	1/4"	059511937220



Bit Holder

- ▶ Hold and secure 1/4" hex shank drill bits, nutsetters & screwdriver bits
- ▶ Precision engineered for superior performance
- ▶ Changing bits is fast & easy
- ▶ Bits won't wobble
- ▶ Available with secure locking collar

Item #	Length	Shank	UPC
93713	3"	1/4"	059511937138
93711			059511937114
93712	2 1/4"	1/4"	059511937121
93715	2 5/16"	1/4"	059511937152
93719	4 1/2"	1/4"	059511937169
93720	8"	1/4"	059511937176
94882	3"	1/4"	059511948820
94893	6"	1/4"	059511948936
94894	12"	1/4"	059511948943
94895	2 1/2"	1/4"	059511948950



INDUSTRIAL
Extreme-Duty




WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Make the perfect flooring cut

EVERY TIME

FLOORING CUTTERS

NO MATTER WHETHER YOU'RE CUTTING LAMINATE FLOORING, WOOD FLOORING, FIBER CEMENT, OR VINYL TILE, WE HAVE THE RIGHT FLOORING CUTTER AT THE RIGHT PRICE.



GEN

9" FLOORING CUTTERS

Cuts laminate flooring, wood flooring, fiber cement and vinyl tile



PRO IND

13" FLOORING CUTTERS


Cuts laminate flooring, wood flooring, fiber cement and vinyl tile



GEN IND

REPLACEMENT BLADES

Flooring cutter replacement blades

 **WARNING:** Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

9" Flooring Cutter with Bonus

- ▶ Cuts laminate flooring, wood flooring, and engineered flooring up to 12 mm (1/2"), vinyl tile, pressboard siding and fiber cement siding
- ▶ Precision cuts with no splintering or chipping. Angle gauge included
- ▶ Installation kit with tapping block, pull bar, spacers and honing stone included
- ▶ Quiet dust free operation, no electricity required
- ▶ Replaceable blade: #2100006

Item #	Size	UPC
2100005	9"	059511340341



13" Flooring Cutter with Bonus

- ▶ Cuts laminate flooring, wood flooring and engineered flooring up to 15 mm (5/8"), vinyl tile, pressboard siding and fiber cement siding
- ▶ Precision, extra wide 13" cuts with no splintering or chipping. Angle gauge included
- ▶ Installation kit with tapping block, pull bar, spacers and honing stone included
- ▶ Solid heavy duty table and extendable handle for additional leverage
- ▶ Quiet dust free operation, no electricity required, replaceable blade

Item #	Size	UPC
2100007	13"	059511340365



13" Flooring Cutter (Sold only in the USA)

- ▶ Cuts laminate flooring, wood flooring and engineered flooring up to 15 mm (5/8"), vinyl tile, pressboard siding and fiber cement siding
- ▶ Angle gauge and honing stone included
- ▶ Quiet dust free operation, no electricity required
- ▶ Replaceable blade: #2100011
- ▶ Bonus installation kit included

Item #	Size	UPC
2100010	13"	059511340389



⚠ WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

13" Flooring Cutter with LED Work Light/Extendable Table

- ▶ Cuts laminate flooring, wood flooring and engineered flooring up to 15 mm (5/8"), vinyl tile, pressboard siding and fiber cement siding
- ▶ Adjustable LED work light
- ▶ Extendable table with work stop and removable locking fence
- ▶ Removable locking fence
- ▶ Sturdy steel base
- ▶ Replaceable High Speed Steel blade

Item #	Size	UPC
2100019	13"	059511345940



INDUSTRIAL
Extreme-Duty

13" Vinyl Flooring Cutter

- ▶ Light weight, 13" capacity, vinyl flooring cutter
- ▶ Cuts material up to 6mm thick
- ▶ Quiet dust free operation, no electricity required
- ▶ WPC (Wood Plastic Composite) and SPC (Stone Plastic Composite) compatible
- ▶ Extra long handle for easy cutting

Item #	Size	UPC
2100018	13"	059511345933



INDUSTRIAL
Extreme-Duty

Flooring Cutter Replacement Blades

- ▶ Replacement blades for laminate floor cutters

Item #	Size	UPC
2100006	9"	059511340358
2100009	13"	059511340372



PROFESSIONAL
Heavy-Duty

WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Essential accessories
that work for you

EVERY TIME

BUY



ESSENTIAL ACCESSORIES

CHOOSE FROM A VARIETY OF ESSENTIAL ACCESSORIES—BLADES, KNIVES, TAPE MEASURES, AND MULTI-TOOLS AT THE RIGHT PRICE TO MAKE YOUR JOB QUICK AND EASY.



KNIVES

9 mm and 18 mm utility knives



TAPE MEASURES

Essential tools for everyday jobs




FLASHLIGHTS

Ideal for home, car and workshop



MULTI-TOOLS

Essential collection of handy multi-tools

 WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.

Knives

- ▶ Auto locking, 9 mm snap-off knife
- ▶ Chrome steel insert for added strength and protection
- ▶ Comfortable, ergonomic grip
- ▶ Two extra snap-off blades in the handle



Item #	Size	Configuration	UPC
2345601	9mm	Auto Lock	059511345636
2345606	18mm	Auto Lock	059511345643
2345616	18mm	Manual Lock	059511345681
2345626	18mm	All Steel Utility	059511345698
2345636	18mm	All Steel Auto Lock	059511345704
2345646	9mm	All Steel Auto Lock	059511345711
2345687	25mm	10 Pack	059511345919
2345752	18mm	10 Pack	059511345759
2345812	18mm	10 Pack	059511345834
2345832	18mm	50 Pack	059511345841



Tape Measures

- ▶ 100'/30 m Imperial/Metric measuring tape
- ▶ Nylon coated, steel tape with "true zero" end hook for accurate inside and outside measuring
- ▶ 3:1 geared speed rewind mechanism
- ▶ High impact ABS case, with rubber grip



Item #	Length	Configuration	UPC
2421182	100'/30m	Speed Demon	059511340167
2421200	6'/2m	Pocket	059511340402
2421203	100'/30m	Fiberglass	059511340433
2421206	25'	Rubber Case	059511340464
2421207	25'	Stainless Steel Case	059511340471



Flashlight



GENERAL
Light Contrator
& DIY

- ▶ 200 lumens COB LED work light
- ▶ Water resistant, light weight ABS body with magnetic base and belt clip holster
- ▶ Requires 3 AAA batteries (included}
- ▶ Ideal for car, outdoor, and home use
- ▶ Good for tight spaces like under the sink, in the car and attic



Item #	Configuration	UPC
3242000	2-in-1 LED	059511211023

Multi Tools



GENERAL
Light Contrator
& DIY

- ▶ Pocket ratchet drive
- ▶ 20 piece ratchet driver kit
- ▶ 4-in-1 double-ended screwdriver
- ▶ 6-in-1 multi-tool with carabiner clip

Item #	Configuration	UPC
3240500	Pocket Ratchet Driver	059511210798
3240700	Pocket Ratchet Driver	059511210972
3240900	4-in-1 Pocket Screwdriver	059511191943
3241800	6-in-1 with Carabiner	059511211009



WARNING: Please see page ii to find out all the warning details associated with EAB & Stay Sharp products.



2023 PRODUCT CATALOGUE

Customer Service: 1.800.663.2510
eabtool.com

